SECTION .5

GUNIOR ENTERPRISE CO., LTD

No.253, Changsheng Rd., Waipu Dist., Taichung City 438, Taiwan

www.outback-bag.com service@outback-bag.com

KONNIX®
KONNIX INDUSTRIAL CO., LTD.
Tel: 886-4-26815259,26816377
Fax: 886-4-26815299,26810238
E-mail: sales@konnix.com
http://www.konnix.com
http://www.slide2go.com

SPH01

SPH02

SPH03

Dry

WR-820
Waterproof Handy bag
i-touch screen, Waterproof finished
with QR fasten on bike ,
several options for SPH01/02/03
Different size for fitting different smart phone
Size: S, M, L, XL and 6plus,7plus,8plus

Dry

WR-17071
Waterproof Top Frame with
Handy pocket, Waterproof zippers
I-Touch screen enclosed
webbing+velcro fastening

TY-10071EVL-R
ECO-Environment Frendly Fabric
None PVC material with i-touch screen
Velcro with padding for Frame protection

Dry

WR-19818L
Waterproof finished Touring package completely in waterproof sealed
Side release Buckle adjustable velcro adjustable
Holding Seat post light loop badge attached

Dry

WR-18818S
Waterproof finished
Waterproof saddle bag , additional large size
ECO fabric finished. With reflective security attached
With QR bracket fit under saddle, extra velcro holding
Top rolled with side released buckle closing.
material & fabric color all in options
Size in S & L

Dry

WR-18840HD-L
Waterproof Handlebar Package
both side opening roll down closed
front elastic cord, Ladder lock fastening
Size available L, M

Dry

With Clamp

With Cable Tie

WR-15840K
Waterproof roundbag on front fork
available with bracket system
allow to fit on Frame as well
Material + color in option

Dry

WR-17133M
Waterproof finished
Waterproof Frame bag of Bike package collection
Velcro fastening movable , waterproof zipper opening
Inner with extra movable EVA foam pocket , double side opening
material & fabric color all in options
Size option in M & L

Dry

WR-1702LTU
Waterproof finished
ECO-evironment material TPU
full TPU, inner foam padding pocket
Size options: M, L

Dry

WR-14818U-M1
New shape completely WR saddle bag
Side release opening
QR system, Velcro fastening available
U-Environment Friendly Fabric ECO
V shape to attach with Bike seat post
Size options:S,M, L

TY-16025WB
Stitching finished saddle bag with water bottle pocket
Webbing + Velcro fastening under saddle ,Extra holder
reflective security strip , Elastic cord as bottle holder

TR-15818L & S
Super Touring Saddle pack,
Waterproof design, Keep dry
Elastic cord to carry more volume
Light loop with reflective attached
Extra large Webbing Velcro fastening
Antislip Grip material

WR-08120RV-M
New Shape Waterproof Saddle Bag
Seat post velcro holder
Front light holder attached
Front flap closed design
Simple & Smart finished

TY-1670FV
Popular desgin
Material in Foaming completely
Good shape for Saddle,
Light loop with reflective function
Inner extra mesh pocket + flap holder
Waterproof Zipper enclosed
Webbing with Velcro fastening
Size in S, M, L

TR-811-15
Outer with stitching finished,
Inner with Waterproof finished
Bag is waterproof finsihed
Roll down closing system
ECO fabric , SP2 bracket

TR-935-15
Urban Front Pannier Bag
Outer sitiching finished design
Roll down closing system
Front zipper pocket
Inner Waterproof finished Bag
Reflective security care
Quick Release system with Handle

WR-816S
Waterproof Messenger Bag ECO fabric
Inner with foaming bag for Laptop
Shoulder strap adjustable
Velcro closing, foaming handle

SP2-12009W-WH
Nature Wicker Basket
with Alloy Frame support
With webbing handle
SP2 Bracket fastening on Bike

LBR-1003
Double Wicker pannier basket
With fabric panel connecting both
Inner linning for each basket
Handle for easy carry,
Elastic + Hook double security
Linning available different fabric or color

INB-1601C
Inner bag for basket ,
With foam padding available in simple cooling function
available different size option for fitting any basket

CR-SD02W
Saddle Rain cover, 3pcs cutting
light water resistant Nylon fabric
with white backing
Seam tape waterproof finished
PP string cord lock closed
in different design option

CR-L
Rain cover for complete basket
elastic binding
overprinting in several options

TY-EVA-01
EVA tool case
Inner Mesh pocket
Suitable fitting with water bottle cage
Size options:S,M, L

Mobile Phone Holder

100% WATERPROOF

B11047
SIZE: 4-1/4"x 7″

- Quick-click system.
- Transparent touchscreen.
- 100% waterproof.
- Able to turn to right or left / up or down.

Mobile Phone Holder

B11055
SIZE: 6-1/2"x7/8"x3-1/2"

Top Tube Bag

K15127
SIZE: 6-3/4" x 2"x 3-1/2(2-1/2")

- Velcro fixing system.
- Top touch screen.

Top Tube Bag

K15792
SIZE: 8"x1-3/4"(3-5/8")x2-3/4"(3-1/2")

- Velcro fixing system.
- Top touch screen.
- IPone 7 plus

MORE PRODUCTS SCAN HERE

Top Tube Bag

100% WATERPROOF

K15546
SIZE: 6-1/2" x 3-1/4" x 2-3/4"

- Velcro fixing band.
- Smart Phone touchscreen.

Saddle Bag

D15480
SIZE: 3-1/2″x5-1/2″x4″

- Quick released buckle.
- Reflective band.
- Light fixing band.

Saddle Bag

100% WATERPROOF

W51304B
SIZE: 6-1/2″x3-1/4″x 10-1/2″

- Quick released buckle.
- Light fixing band.
- 100% waterproof.

Bottle Cage Tool Case

D15264
SIZE: 4-1/4" x 5-1/4"

Saddle Bag

D15512
SIZE: 25-1/2" x 6-1/4" x 7-1/4"

Frame Bag

Y12088
SIZE: 450(270) x 60 x130(40)mm

- Velcro & strap fixing.

Handle Bar Bag

H15505B
SIZE: 29" x 6-3/4" x 6-3/4"

- Quick released buckle.
- Shoulder strap.

BAGS

TRUE EAST ENTERPRISE CO., LTD.
www.bags.com.tw · trueeast@bags.com.tw
Tel : 886-4-26863211 · Fax : 886-4-26860968

Trunk Bag

R15366
SIZE: 12-1/2″x5-1/2″x7″(5-1/2″)

- Velcro fixing.
- Reflective band.
- Light fixing band.
- Top and 2 sides extra valume pocket.

Trunk Bag

R14087A
SIZE:11-3/4" x 6-1/4" x 7"

- Seat post Q.R. system.
- Inner pockets and rain cover.
- Reflective streams.
- Multi zipper pockets.

Camel Bag

K14633
SIZE: 8″x4-1/2″x17″

I96020(2.0L)

- Reflective band.
- Chest belt and waist belt.

Pannier Bag

R13748
SIZE: 15"x13"x21-1/2"

- Velcro fixing system.
- 3 lager size pockets.
- Reflective stream.

MORE PRODUCTS SCAN HERE

Pannier Bag

R13879
SIZE:12" x 16" x 12"

- Velcro band fixing system.
- 2 large pockets.
- Reflective stream.

Pannier Bag

100% WATERPROOF

R15431
SIZE: 12" x 5-1/2" x 16"(22")

- Reflective band.
- Quick Released buckle.
- Side handle.
- Large size main pocket.

Pannier Bag

R15251A
SIZE: 14″x6-1/4″x10″

- Quick released buckle.
- Reflective band.
- Key chain.
- Front zipper pocket.

Wheel Bag

x2

K16394
SIZE: 30″x6-1/2x30″

- 2 wheel pockets.
- Inner tool pocket.
- Name card pocket.

Pannier Bag

100% WATERPROOF

W51441
SIZE:
23-1/2″x11-3/4″(DIA)
15″(12″)x5″x20″

- Quick released buckle.
- Reflective band.
- Light fixing band.
- Large size main pocket.

Folding Bike Bag

K13449
SIZE: 31″x12″x24-1/2″

- Folding bike carry bag.
- Can be folded into front pocket.
- Fixing on handle bar.

Bike Case

K11293
SIZE: 50"x8"x32"

- Side handles.
- Wheels compartment.
- Bottom with plastic stands.
- Delachable holders for smart storage.

BAGS

TRUE EAST ENTERPRISE CO., LTD.
www.bags.com.tw · trueeast@bags.com.tw
Tel : 886-4-26863211 · Fax : 886-4-26860968

LEADTEC CO., LTD.

27, Fukon Rd., Fushing Ind. Zone, Changhua County, 506, Taiwan
TEL:+886-4-7691125
FAX:+886-4-7697206
leadtec-sales@umail.hinet.net

BASKET

NEW

LCB-3691

URBAN

Material	Alloy
Length	370 mm
Width	300 mm
Height	180 / 220 mm

LCB-3741

URBAN

Material	Steel Mesh
Length	330 mm
Width	250 mm
Height	210 mm
Packing	25 Pcs / 3.5' / NW15.3 Kgs /GW16.8 Kgs

LCB-3742

URBAN

Material	Steel Mesh
Length	330 mm
Width	250 mm
Height	210 mm
Packing	25 Pcs / 3.5' / NW14 Kgs / GW15.5 Kgs

LCB-320BG

URBAN

Material	Steel Mesh
Length	400 mm
Width	300 mm
Height	170 mm
Packing	20 Pcs / 3.32' / NW12Kgs / GW13 Kgs

LCB-333E

URBAN

Material	Steel Mesh
Length	380 mm
Width	260 mm
Height	230 mm
Packing	20 Pcs / 5.58' / NW20 Kgs / GW21 Kgs

LCB-305

URBAN

Material	Steel Mesh
Length	355 mm
Width	250 mm
Height	250 mm
Packing	25 Pcs / 3.62' / NW18 Kgs / GW19 Kgs

LCB-307

URBAN

Material	Steel Mesh
Length	L370 x W280 x H245 mm
Width	L330 x W235 x H230 mm
Height	L260 x W170 x H165 mm
Packing	25 Pcs / 2.92' / NW14 Kgs / GW15 Kgs

LCB-358

URBAN

Material	Steel Mesh
Length	370 mm
Width	270 mm
Height	245 mm
Packing	25 Pcs / 2.92' / NW18 Kgs / GW19 Kgs

LCB-372

URBAN

Material	Steel Mesh
Length	345 mm
Width	245 mm
Height	250 mm
Packing	25 Pcs / 4.1' / NW18 Kgs / GW19 Kgs

LCB-328

URBAN

Material	Steel Mesh
Length	345 mm
Width	255 mm
Height	260 mm
Packing	25 Pcs / 3.3' / NW22 Kgs / GW23 Kgs

LEADTEC CO., LTD.

27, Fukon Rd., Fushing Ind. Zone, Changhua County, 506, Taiwan
TEL:+886-4-7691125
FAX:+886-4-7697206
leadtec-sales@umail.hinet.net

LCB-350

URBAN

Material	Steel Mesh
Length	345 mm
Width	250 mm
Height	260 mm
Packing	25 Pcs / 3.1' / NW23 Kgs /GW24 Kgs

LCB-352

URBAN

Material	Steel Mesh
Length	345 mm
Width	350 mm
Height	260 mm
Packing	25 Pcs / 3.1' / NW17 Kgs /GW18 Kgs

LCB-355

URBAN

Material	Steel Mesh
Length	335 mm
Width	350 mm
Height	260 mm
Packing	25 Pcs / 3.1' / NW17 Kgs / GW18 Kgs

LCB-388

URBAN

Material	Steel & Stainless Wire
Length	370 mm
Width	295 mm
Height	230 mm
Packing	20 Pcs / 4.83' / NW19 Kgs / GW20 Kgs

LCB-369

URBAN

Material	Steel & Stainless Wire
Length	370 mm
Width	300 mm
Height	230 mm
Packing	20 Pcs / 5.01' / NW23 Kgs /GW24 Kgs

LCB-374

URBAN

Material	Steel Wire
Length	370 mm
Width	295 mm
Height	230 mm
Packing	20 Pcs / 4.4' / NW18.5 Kgs / GW19.5 Kgs

LCB-351W/A043 (QUICK RELEASE)

URBAN

Material	Steel Mesh
Length	345 mm
Width	350 mm
Height	260 mm
Packing	25 Pcs / 5.4' / NW20 Kgs / GW21 Kgs



S03/S03A(BASKET STAYS)

URBAN

Material	Steel

DSE-A301

LCB-B031

URBAN

Material	Steel
Steerer Size	25.4 / 28.6 mm

LCB-B032

URBAN

Material	Steel
Steerer Size	25.4 / 28.6 mm

LCB-B033

URBAN

Material	Steel
Steerer Size	25.4 mm

BASKETS

Tel:886-7-6512649
Fax:886-7-6519277
www.chiahui88.com.tw
E-mail:chiahui88@seed.net.tw

佳慧工業有限公司
CHIA HUI INDUSTRY CO.,LTD

歡迎特殊規格研發訂做
We can customize special specs for you.
專業 PROFESSIONAL 設計 DESIGN 製造 MANUFACTURE

42 th
1976-2018

SNL2605
L 340 x W 250 x H 260 mm

Sk2801
L 480 x W 320 x H 280(260) mm

SGS NO. KC/2014/A0275 KC/2014/A0276

SGS NO. KC/2014/A0275 KC/2014/A0276

SNW001-FGB
L 220 x W 280 x H 330 mm

SGS NO. KC/2014/A0275 KC/2014/A0276

SNW006-FGB
L 220 x W 280 x H 270 mm

SNW015-FGB
L 390 x W 340 x H 730 mm

SNW004AA
fit all diameter tubes25~35mm

W2753
L 370 x W 300 x H 200(240) mm

SN2601
L 330 x W 260 x H 265 mm

CDN01
L 105 x W 100 x H 70 mm

CDN02
H:36.5
Φ:8.5cm

CDN03
L 105 x W 100 x H 75 mm

SLE266
L 420 x W 230 x H 390 mm

CKE26350
L 375 x W 255 x H 245 mm

SND202
L 325 x W 260 x H 215 mm

SN20016
L 335 x W 255 x H 200(210) mm

BIKE REAR SEAT

SNW012-FGB
L 335 x W 195 x H 510 mm

WG01
L 590 x W 510 x H 300 mm

W6001
L 600 x W 400 x H 400 mm

MSK2633
L 325 x W 250 x H 190(250) mm

SGS NO. KC/2014/A0275 KC/2014/A0276

SNW009-FGB
L 390 x W 340 x H 270 mm

BASKETS

BASKET

Technology and Creation Always IN-TEK CORP.

ITC-3056
L330 x W270 x H250mm

ITC-3058
L370 x W285 x H250mm

ITC-3560R
L315 x W235 x H240mm

ITC-3580R
L275 x W185 x H180mm

ITC-359B-R
L350 x W250 x H260mm

ITC-3692A
L315 x W265 x H60mm

ITC-3692B
L320 x W250 x H85mm

ITC-3693
L320 x W250 x H85mm

ITC-3697
L435 x W350 x H100mm

ITC-351CG+ML138
L345 x W250 x H260mm

ITC-320AG
L400 x W300 x H170mm

ITC-320BG
L400 x W300 x H170mm

ITC-337
L280 x W220 x H325mm

ITC-355N
L340 x W255 x H260mm

BASKETS

IN-TEK CORP.

盈昌事業有限公司
彰化縣51648埔鹽鄉成功路一段288號
No. 288, Sec. 1, Chenggong Road, PuYen Hsiang,
Changhua 51648, Taiwan
Tel: +886-4-8853088 Fax: +886-4-8852306
E-mail: ken@in-tek.com.tw / ken.lee8899@msa.hinet.net

崇鑫金屬(惠州)有限公司
廣東省惠州市仲恺高新區澄林銀環城街23號
No.23, Huancheng street,Lilin town, Zhongkai
high-tech zone, Huizhou City, Guangdong, China.
Tel: +86-752-3868101, 3868102 Fax: +86-752-3868106

TAIWAN: NUVO ENT.CO.,LTD
No.3,Hsing Rd.,Fuhsin Ind.Zone Chang-hua, Taiwan
Tel:886-4-7696285~7 Fax:886-4-7696288 E-mail: nuvo@nuvo.ws

NEW

n+1-B724BPQ

Dome Size: 27mm
Handlebar size: 19.2-31.8mm
Material: Brass top with plastic strap
weight: 26g
Color: Brass /ED Black
Function:
- Hammer can be rotated for 360 degrees
- Operate it smoothly and clear sound

PATENT NO.: M554876

NEW

n+1-B724BPO

Dome Size: 27mm
Handlebar size: 22.2 or 25.4mm
Material: Brass top with plastic base
weight: 29g
Color: Brass /ED Black
Function:
- Hammer can be rotated for 360 degrees
- Operate it smoothly and clear sound

PATENT NO.: M554876

NEW

n+1-B421BPO

Dome Size: 41mm
Handlebar size: 22.2 or 25.4mm
Material: Brass top with plastic base
weight: 41g
Color: Brass /ED Black
Function: Double sound

PATENT: 20 2012 104 819.1

NEW

n+1-B421BPQ

Dome Size: 41mm
Handlebar size: 19.2-31.8mm
Material: Brass top with plastic base
weight: 37g
Color: Brass /ED Black
Function: Double sound

PATENT: 20 2012 104 819.1

n+1-B721BA (Mini Bell)

Dome Size: 23mm
Handlebar size: 22.2mm
Material: Brass top with alloy clamp
weight: 20g
Color: Brass /ED Black
Function:
- Hammer can be rotated for 360 degrees

n+1-B721BPQ (Mini Bell)

Dome Size: 23mm
Handlebar size: 19.2-31.8mm
Material: Brass top with plastic strap
weight: 20g
Color: Brass /ED Black
Function:
- Hammer can be rotated for 360 degrees

n+1-B430BPO

Dome Size: 34mm
Handlebar size: 22.2mm or 25.4mm
Material: Brass top with plastic base
weight: 49g
Color: Brass
Function:
- Innovative design for automatic and manual mode
- Pull up the top botton, it will ring automatically while you ride downhill or brake suddently.

PATENT NO.:1318943

n+1-B426BP

Dome Size: 34mm
Handlebar size: 22.2mm
Material: Brass top with plastic base
weight: 39g
Color: Brass /ED Black

BELLS

n+1-B429BPO

Dome Size: 47mm
Handlebar size: 22.2-25.4mm
Material: Brass top with plastic base
weight: 32g
Color: Brass /ED Black

n+1-B429BA

Dome Size: 47mm
Handlebar size: 22.2mm
Material: Brass top with alloy clamp
weight: 32g
Color: Brass /ED Black

n+1-B723BA

Dome Size: 32mm
Spacer size: 28.6mm
Material: Brass top with alloy clamp
weight: 34g
Color: Brass/ED Black
Function:
- Special design to assemble on spacer

n+1-B725BPL

Dome Size: 23mm
Handlebar size: 25.4-31.8mm
Material: Brass top with plastic base
weight: 29g
Color: Brass /ED Black

PATENT NO.: M321392

n+1-B432APQ / n+1-B432BPQ

Dome Size: 34mm
Handlebar size: 19.2-31.8mm
Material: Alloy top with plastic strap
Brass top with plastic strap
weight: 27g / 42g
Color: ED Black/ Anodized Silver
Function:
- Can be released quickly, and assembled easily
- Fitted all diameter range of handlebar

PATENT NO.: M358769

n+1-B462APQ

Dome Size: 34mm
Handlebar size: 19.2-31.8mm
Material: Alloy top with plastic strap

PATENT

n+1-B431AP

Dome Size: 34mm
Handlebar size: 22.2mm
Material: Alloy top with plastic base
weight: 29g
Color: ED Black /Anodized Silver

EN PATENT NO.: 001073605-0001

n+1-B508APO

Dome Size: 42mm
Handlebar size: 22.2 or 25.4mm
Material: Alloy top with plastic base
weight: 32g
Color: ED Black/ Anodized Silver
Function:
- Pushing bell
- User-friendly, especially for E-bike

n+1-B898BP

Dome Size: 36mm
Handlebar size: 22.2mm
Material: Brass inside with plastic cap and base
weight: 40g
Color: Silver, Blue, Pink, Orange, Green, Purple
Funcion:
- Transparent bell cap to see inner structure
- Make sound by rotating, both turn left and right are available.

PATENT NO.: D138847

n+1-B897BP (Diamond Bell)

Dome Size: 36mm
Handle bar size: 22.2mm
Material: Brass inside with plastic cap and base
Function:
- Diamond-looking bell cap
- Clear sound with luxurious style

Color: Transparent

PATENT NO: D138847

n+1-B428AP

Dome Size: 34mm
Handlebar size: 22.2mm
Material: Alloy top with plastic base and lever
weight: 32g
Color: Black
Function:
- Quick-release lever
- Wonderful appearance with capsule package design

PATENT NO.: M390906

n+1-B452BP (Helmet Bell)

Dome Size: 32mm
Handlebar size: 22.2mm
Material: Brass top with plastic base
weight: 52g
Color: Black, White, Blue, Red

n+1-B452BPQ (Helmet bell)

Dome Size: 32mm
Handlebar size: 19.2-31.8mm
Material: Brass top with plastic strap
weight: 44g
Color: Black, White, Blue, Red

n+1-B450AP (Beetle bell)

Dome Size: 32mm
Handlebar size: 22.2mm
Material: Alloy top with plastic base
weight: 52g
Color: Black

PATENT NO.: M314149

n+1-B825AP

Dome Size: 53mm
Handlebar size: 22.2mm
Material: Alloy top with plastic base
weight: 45g
Color: Pink
Function:
- With mirror, and it can be revolved for 360 degrees

BIKE BELL & LOCK
源文興工業股份有限公司
YUAN WEN SHING INDUSTRIES CORP.

地址：514彰化縣溪湖鎮彰水路四段686號
686 CHANG-SHUI RD. SEC. 4, HSI-HU, CHANG-HUA, 514, TAIWAN
TEL: 886-4-8855111-3 FAX: 886-4-8810007
E-Mail: yws59089@ms10.hinet.net http: //www.yws.com.tw

New Products

YWS-SL2
E-Lock Series

Battery Version

Buck Circuit Version

CAN-BUS Version

YWS-KS-1 Alloy KickStand

Fits Alloy Squarish or Flat round Frame
Adjustable Stand Length
Diametion : 24" - 28" / 26" - 29"

Compact design : Neat look
Lightweight : 600g
Easy to operate : Intuitive operation design
Low energy consumption : Power saving design
High control system compatibility : Custom design avaliable

YWS-680 Grip Bell

Ring for your Bike / Neat and Tidy



YWS-639-2 Compass Bell

Compass on dome top
Dome size : 35mm

BELLS

YWS-200
Dome Size : 60mm
Material : Steel Top & Base
Color : Silver/Black
Sound : Ding-Dong

YWS-2000
Dome Size : 80mm
Material : Steel Top & Base
Color : Silver/Black
Sound : Ding-Dong

YWS-301A
Dome Size : 37mm
Material : Alloy Top, Plastic Base
Color : Silver/Red/Blue for Top, Gray/Black for Base
Operation : Knocking

YWS-302A
Dome Size : 37mm
Material : Alloy Top, Plastic Base
Color : Silver/Blue/Red for Top, Gray/Black for Base
Operation : Knocking

YWS-304-1
Dome Size : 32mm
Material : Alloy Top, Plastic Base
Color : Silver/Black

YWS-305 Simple Bell
Dome Size : 30mm
Material : Alloy Top, Plastic Base
Color : Silver / Black, Custom color available.
Operation : Knocking
Special Design : One step installation. Easy and efficiency

YWS-306A
Dome Size : 35mm
Material : Alloy Top, Plastic Base
Color : Silver/Black
Operation : Knocking
Special Design : Lever Position 360° Adjustable

YWS-307
Dome Size : 35mm
Material : Alloy Top, Plastic Base
Color : Silver/Black
Operation : Knocking
Special Design : Lever Position 360° Adjustable

YWS-308A

YWS-308B

Dome Size : 50mm
Material : Alloy or Brass Top, Steel Top
Color : Silver/Black/Red/Blue/Yellow also available(YWS-308A), Polished Brass(YWS-308B)

YWS-308-2
Dome Size : 50mm
Material : Brass Top
Color : Polished Brass
Clamp Size: 25.4mm ~ 22.2mm
Special Design : Alloy Clamp / All Stainless and/ or Brass components / POM gasket for clamp

YWS-310S
Dome Size : 55mm
Material : Steel Top, Plastic Base
Color : Silver/Black/Blue/Red/Yellow
Special Design : Alloy Top also available

YWS-312A
Dome Size : 55mm
Material : Alloy Top, Plastic Bass
Color : Silver/Black/Red/Blue/Yellow
Special Design : Ten Cartoon Designs, Dome Stickers also available.

Sticker :

Dome Sticker :

YWS-313S
Dome Size : 55mm
Material : Steel Top, Plastic Base
Color : Silver/Black/Yellow/Red/Pink

YWS-315S
Dome Size : 55mm
Material : steel top & base
Color : silver/black/yellow/red/pink

YWS-316S
Dome Size : 55mm
Material : Steel Top, Plastic Base
Color : Silver/Black/Red/Blue/Yellow
Operation : Pushing

源文興工業股份有限公司
YUAN WEN SHING INDUSTRIES CORP.
地址：514彰化縣溪湖鎮彰水路四段686號
686 CHANG-SHUI RD. SEC. 4, HSI-HU, CHANG-HUA, 514, TAIWAN
TEL: 886-4-8855111-3 FAX: 886-4-8810007 E-Mail: yws59089@ms10.hinet.net http: //www.yws.com.tw

YWS-318S

Dome Size : 55mm
Material : Steel Top, Plastic Base
Color : Silver/Black/Red/Blue/Yellow

YWS-319A

Dome Size : 55mm
Material : Alloy Top, Plastic Base
Color : Silver/Gold/Black/Red/Blue

YWS-333S

Dome Size : 52mm
Material : Steel Top, Plastic Base
Color : Silver/Black/Red/Pink/Yellow

YWS-360S

Dome Size : 56mm
Material : Steel or Stainless Steel Top
Color : Silver/Black/Pink
Operation : Rotating

YWS-366

Twin Bell

Dome Size : 55mm
Material : Steel
Color : CP
Special Design : Steel on both sides

YWS-406B-1

Dome Size : 40mm
Material : Brass Top
Color : Polished Brass
Clamp Size: 25.4mm ~ 22.2mm
Special Design : Alloy Clamp / All Stainless and/or Brass components / POM gasket for clamp

YWS-406B-2

Dome Size : 40mm
Material : Brass Top
Color : Polished Brass
Clamp Size: 25.4mm ~ 22.2mm
Special Design : Alloy Clamp / All Stainless and/or Brass components / POM gasket for clamp

YWS-407

(Brass)

Dome Size : 50mm
Material : Brass Top
Color : Polished Brass

YWS-408A

Dome Size : 57mm
Material : Alloy Top
Color : Silver/Black/Yellow/Red/Blue

YWS-408-1

Alloy Clamp , Stainless Steel Dome

Dome Size : 57mm
Material : Stainless Steel Top
Color : Silver
Special Design : Clamp Size : 25.4mm ~ 22.2mm Alloy Clamp / All Stainless and/or Brass components / POM gasket for clamp

YWS-509L

Dome Size : 49mm
Material : Steel Top & Base
Color : Silver
Special Design : Ten Cartoon Designs, Dome Stickers also available.

Sticker :

Dome Sticker :

YWS-610A

Dome Size : 48mm
Material : Alloy Top, Plastic Base
Color : Silver/Gold/Black/Red/Blue

YWS-611A

Dome Size : 40mm
Material : Alloy Top, Plastic Base
Color : Silver

YWS-612A

Dome Size : 45mm
Material : Alloy Top, Plastic Base
Color : Silver

源文興工業股份有限公司
YUAN WEN SHING INDUSTRIES CORP.
地址：514彰化縣溪湖鎮彰水路四段686號
686 CHANG-SHUI RD. SEC. 4, HSI-HU, CHANG-HUA, 514, TAIWAN
TEL: 886-4-8855111-3 FAX: 886-4-8810007 E-Mail: yws59089@ms10.hinet.net http: //www.yws.com.tw

YWS-613
Dome Size : 40mm
Material : Steel Top, Plastic Base
Color : Black/Red/Yellow/Blue/Silver

YWS-630A
Dome Size : 38mm
Material : Alloy Top, Plastic Base
Color : Silver/Gold/Black/Blue/Red
Operation : Knocking

YWS-632 Heart Bell
Color : CP & Pink
Material : Steel Top, Plastic Base
Special Design : Heart-Shaped Dome
Operation : Knocking

YWS-633-1
Dome Size : 35mm
Material : Alloy Top, Plastic Base
Color : Silver/Black
Operation : Knocking
Special Design : Lever position 360° adjustable

YWS-633-2 Strap
Dome Size : 35mm
Material : Alloy Top, Plastic Base
Color : Silver / Black
Operation : Knocking
Special Design : Lever Position 360° Adjustable/ Strap fits various size of handlebar

YWS-635
Dome Size : 35mm
Material : Alloy Top, Plastic Base
Color : Silver/Black/ Polished Brass
Special Design : 360° Rotating

YWS-638
Dome Size : 35mm
Material : Alloy / Brass Top, Plastic Base
Color : Silver/Block/ Polished Brass

YWS-639
Dome size : 35mm
Material : Alloy Top; Plastic Base
Color : Silver / Black
Operation : For all sizes of handle bar
Special Design : Adjustable Clip Bell

YWS-639-1
Dome Size : 35mm
Material : Alloy Top, Plastic Base
Color : Silver / Black

YWS-639-2 Campass Bell - CAMPASS ON DOME TOP
Dome Size : 35mm
Material : Alloy Top, Plastic Base
Color : Silver / Black

YWS-660A
Dome Size : 41mm
Material : Alloy Top, Plastic Base
Color : Color To Order For Dome, Top, Rotary, Circle & Base
Operation : Rotating

YWS-662A
Dome Size : 41mm
Material : Alloy Top, Plastic Base
Color : Color To Order For Cap, Top, Rotary, Circle & Base
Operation : Rotating

YWS-666A
Dome Size : 47mm
Material : Alloy Top, Plastic Base
Operation : Rotating

YWS-667A
Dome Size : 47mm
Material : Alloy Top, Plastic Base
Operation : Rotating
Special Design : Bear, Dog, Dolphin To Choose.

YWS-670A
Dome Size : 42mm
Material : Alloy Top, Plastic Base
Color : Silver/Gold/Black/Red/Blue

YWS-671A
Dome Size : 42mm
Material : Alloy Top, Plastic Base

YWS-680 Grip Bell
Dome Size : 42mm
Material : Brass/Alloy Top, Plastic Base
Color : Silver/Black
Operation : Knocking
Special Design : Install into handlebar. Great sound and neat looking.

BELLS

YWS-700Q

Dome Size : 60mm
Material : Steel Top & Base

YWS-770

Dome Size : 60mm
Material : Steel Top & Base
Color : Silver
Special Design : Four flag designs

YWS-790A

Dome size : 60mm
Material : Steel Top & Base
Special Design : Five animal designs

Sticker :

YWS-791L

Dome Size : 60mm
Material : Steel Top & Base, Ten Cartoon Designs
Color : Silver
Special Design : Ten Cartoon Designs, Dome Stickers also available

Sticker :

Dome Sticker :

YWS-820

Dome size : 57mm
Material : Steel Top & Base
Color : Silver/Black

YWS-820F

Dome size : 57mm
Material : Steel Top & Base
Color : Silver/Black

YWS-821

Dome Size : 57mm
Material : Steel Top & Base
Color : Black

YWS-962

Dome Size : 38mm
Material : Alloy Top; Plastic Base
Color : White/Black; Orange/Black
Operation : Knocking

YWS-963

YWS-963-1

Dome Size : 32mm
Material :
Steel/Brass/Alloy Top; Plastic Base
Special Design :
1.Small form design
2.The higher handlebar of the design will reduce the bell on the handlebar of space

YWS-965

Dome Size : 28mm
Material : Brass Top, Plastic Base
Operation : Knocking
Special Design :
1.Small form design
2.Multi-angle assemble on the handlebars
3.Ergonomic design, easy to knock the bell on different angle.
4.Will reduce the bell on the handlebar of space

YWS-968 Bright Bell-Alloy Clamp Version

Dome Size : 32mm
Material : Alloy
Color : Silver/ Black
Clamp Size : 25.4mm ~ 22.2mm
Special Design :
1.Safety Light included
2.Waterproof, Rustproof, Light Weight
3.Innovative design to combine safety light and bell

YWS-968 Bright Bell-Rubber Strap Version

Dome Size : 32mm
Material : Alloy
Color : Silver/ Black
Clamp Size : Rubber strap version fits various size of handlebar
Special Design :
1.Safety Light included
2.Waterproof, Rustproof, Light Weight
3.Innovative design to combine safety light and bell

YWS-981

Dome size : 28mm
Material : Brass Top and Plastic Base
Color : Polished Brass
Clamp Size : 25.4mm~22.2mm(with gasket)
Operation : Slide Knocking
Special Design :
1.Easy to operate.
2.Special clamp, Easy installation.
3.Unique slide knocking device.

源文興工業股份有限公司
YUAN WEN SHING INDUSTRIES CORP.
地址：514彰化縣溪湖鎮彰水路四段686號
686 CHANG-SHUI RD. SEC. 4, HSI-HU, CHANG-HUA, 514, TAIWAN
TEL: 886-4-8855111-3 FAX: 886-4-8810007 E-Mail: yws59089@ms10.hinet.net http: //www.yws.com.tw

www.ywschina.com

源文興車料（太倉）有限公司
江蘇省太倉市陸渡鎮鄭和中路158號 郵編: 215412
Yuan Wen Shing Bicycle Fittings (Tai-Cang) Co., Ltd.
158 Zheng-He Zhong Rd., Ludu Town, Taicang City,
Jiangsu Province, 215412 China
Tel: +86-512-53456777 Fax: +86-512-53450753
Email: ywschina@yeah.net

台灣 OFFICE
艾特克實業有限公司
51441 彰化縣溪湖鎮興學街207號
ARGON Enterprise Co., Ltd.
No.207, Xingxue St., Xihu Township,
Changhua County 51441, Taiwan
Tel: 04-8819935 Fax: 04-8819933
Email: ywsjessica@gmail.com

▲ YWS-635
Diameter: 38mm
Material: alloy / brass top
Lever position 360° adjustable

▼ YWS-200
Diameter: 60mm
Material: steel top & base

▲ YWS-2000
Diameter: 80mm
Material: steel top & base

BELLS

YWS-301A
Diameter: 37mm
Material: alloy top, plastic base

YWS-304A
Diameter: 31mm
Material: alloy top, plastic base
For all size handle bar

YWS-306A
Diameter: 35mm
Material: alloy top, plastic base
Lever position 360° adjustable

YWS-307A
Diameter: 30mm
Material: alloy top, plastic base
Lever position 360° adjustable

YWS-308A
Diameter: 50mm
Material: alloy top, steel base

YWS-310
Diameter: 55mm
Material: alloy / steel top, plastic base

YWS-369
Diameter: 46mm
Material: plastic , alloy

YWS-611A
Diameter: 40mm
Material: alloy top, plastic base

YWS-612A
Diameter: 45mm
Material: alloy top, plastic base

YWS-633A
Diameter: 35mm
Material: alloy top, plastic base
Lever position 360° adjustable

YWS-663A
Diameter: 42mm
Material: alloy top, plastic base
Operation：rotating

YWS-665A
Diameter: 42mm
Material: alloy top, plastic base
Operation：rotating

TAIWAN: NUVO ENT.CO.,LTD
No.3,Hsing Rd.,Fuhsin Ind.Zone Chang-hua, Taiwan
Tel:886-4-7696285~7 Fax:886-4-7696288 E-mail: nuvo@nuvo.ws

NEW

n+1-BC156C-D

Material: Nylon+ Carbon Fiber
weight: 19G
Color: Matt clear coating with decal sticker
Features: To take the bottle from right side or left side
PATENT NO.: M553283

NEW

n+1-BC195P8

Material: Plastic
weight: 43g
Color: Black / Red / Blue / Lime Yellow
Function:
- Jigsaw puzzle cage - three pieces
- The special design to change right or left load by an “8” plastic part.
- Recommend for standard bottle or PET bottle

PATENT NO: M543820
CHINA PATENT NO.: ZL 2017 2 02759190

n+1-BC197P-D

Material: Plastic
weight: 37g
Color: Painted Black/ White/ Red with decal sticker
Function:
The special designed to change right or left load by an “L” plastic part.
PATENT NO: M523640
CHINA PATENT NO: ZL 2016 2 0228123.5

SUPERLIGHT

n+1-BC130C-D

Material: Nylon+ Carbon Fiber
weight: 17g
Color: Matt clear coating with decal sticker

n+1-BC154P

Material: Plastic
Weight: 31g
Color: Black/White/any color per customer’s requirement

n+1-BC154P-D

Material: Plastic
Weight: 31g
Color: Painted Black/Painted White /Painted Red with decal sticker

n+1-BC199P-D

Material: Plastic
weight: 30g
Color: Painted Black with decal sticker
Function:
To take the bottle from right side or left side

n +1-BC397P-D

Material: Plastic
weight: 76g with tire lever
Color: Painted Black/Painted White /Painted Red with decal sticker
Function:
- A side load bottle cage features a kit of tire lever.
- It is an excellent side load cage for road or mountain use.

PATENT NO.: M530270
CHINA PATENT NO.: ZL 2016 2 0784653.9

n+1-BC399P-R-D

Material: Plastic
Weight: 40g
Color: Painted Black/Painted White with decal sticker
Side open cage(Right side)
PATENT NO: D158541

n+1-BC399P-L

Material: Plastic
Weight: 40g
Color: Painted Black/Painted White
Side open cage (Left side)

n+1-BC159P-D
Material: Plastic
Weight: 45g
PET bottle neck size: 23-28mm
Color: Painted Black/Painted White with decal sticker
PATENT NO: M493503
EN PATENT NO: 002675132-0001
JAPAN PATENT NO: 3198472
CHINA PATENT NO: ZL 2015 2 0206103.3

n+1-BC198P-D
Material: Plastic
weight: 49g
Color: Painted Black/ Painted White/Painted Red with decal sticker

n+1-BC157P
Material: Plastic
Weight: 28g
Function: Micro adjustable
Color: Black/White

n+1-BC191P-D
Material: Plastic
Weight: 63g
Color: Painted Black/Painted White/Painted Red with decal sticker
The special design is to change right or left load by the two plastic plates.
PATENT NO: M505433
JAPAN PATENT NO: 3198435
CHINA PATENT NO: ZL 2015 2 0191947.5

n+1-BC160A
Material: One-piece of alloy
Dia: 4.3mm
Weight: 34g
Color: Anodized Black/ Anodized Silver
Function: Fit any standard bottle

n+1-BC161A
Material: One-piece of alloy
Dia: 4.3mm
Weight: 29g
Color: Anodized Black/ Anodized Silver

n+1-BC162A
Material: One-piece of alloy
Dia: 4.3mm
Weight: 32g
Color: Anodized Black/ Anodized Silver

n+1-BC149A-R14 (S cage)
Material: Alloy
Weight: 42g
Color: Black/White
Function: Simple design with streamline “S” shape
PATENT NO: D126066

n+1-BC155LA (Leather cage)
Material: Leather with alloy base
Weight: 76g
Color: Brown, Black
PATENT NO: M365300

n+1-BC153AP
Material: Alloy combine with plastic
Weight: 23g
Color: Sand blasted Anod Black
Sand blasted Anod Silver
Function: Micro adjustable

n+1-BC398A-R n+1-BC398A-L

n+1-BC398A
Material: Alloy
Weight: 45g
Color: Sand blasted Anod Black
Sand blasted Anod Silver

Taiwan Factory
BRANC CO., LTD.
NO.7 Fu Kung Rd. (Fu Hsing Ind. Zone)
Changhua 506, Taiwan
Tel: 886-4-7688016-9
Fax: 886-4-7688020-1
E-mail:branc@mail.branc.com.tw
http://www.boryueh.com

Vietnam Factory
BOR YUEH INDUSTRIES CO., LTD.
NO.26, DT-743 Rod, Song Than 2 Ind. Park.
Di An District, Binh Duong Province, Vietnam.
Tel: 84-6503-730301 Fax: 84-6503-730300
E-mail: mont-vn@boryueh.com
http://www.move-cycle-racks.com.tw

Carriers
Kickstands
Bottle Cages
Alloy Baskets

Kidride
Material: 6061 Aluminum
Weight: 0.5kg
Size: 20", 24"

City light
Material: 6061 Aluminum
Weight: 0.67kg
Size: 26", 28"

City ride
Material: 6061 Aluminum
Weight: 0.75kg
Size: 26", 28"

City comp
Material: 6061 Aluminum
Weight: 0.64kg
Size: adjustable 24"- 28"

Tour ride
Material: 6061 Aluminum
Weight: 0.8kg
Size: adjustable 26"- 28"
PATENT

Tour comp
Material: 6061 Aluminum
Weight: 0.65kg
Size: adjustable 24"- 28"

Track ride
Material: 6061 Aluminum
Weight: 0.92kg
Size: adjustable 26"- 28"
PATENT

Track light
Material: 6061 Aluminum
Weight: 0.66kg
Size: adjustable 26"- 28"
PATENT

Track comp
Material: 6061 Aluminum
Weight: 0.78kg
Size: adjustable 26"- 28"
PATENT

Simple city
Material: 6061 Aluminum
Weight: 0.48kg
Size: 26", 28"
PATENT

Lorry ride
Material: 6061 Aluminum
Weight: 0.74kg
Size: adjustable 26", 28"
PATENT

Trans ride
Material: 6061 Aluminum
Weight: 0.91kg
Size: adjustable 26", 28"
PATENT

Lite ride
Material: 6061 Aluminum
Weight: 0.65kg
Size: adjustable 26"- 28"
PATENT

Race ride
Material: 6061 Aluminum
Weight: 0.65kg
Size: adjustable 26"- 28"
PATENT

Basic
Material: 6061 Aluminum
Weight: 0.65kg
Size: 26", 28"
PATENT

Tour
Material: 6061 Aluminum
Weight: 0.77kg
Size: adjustable 26"- 28"
PATENT

EN14872 **ISO 11243 : 2016**

Optional: Spring clamp, strap and pump hook

Taiwan Factory
BRANC CO., LTD.
NO.7 Fu Kung Rd. (Fu Hsing Ind. Zone)
Changhua 506, Taiwan
Tel: 886-4-7688016-9
Fax: 886-4-7688020-1
E-mail:branc@mail.branc.com.tw
http://www.boryueh.com

Vietnam Factory
BOR YUEH INDUSTRIES CO., LTD.
NO.26, DT-743 Rod, Song Than 2 Ind. Park.
Di An District, Binh Duong Province, Vietnam.
Tel: 84-6503-730301 Fax: 84-6503-730300
E-mail: mont-vn@boryueh.com
http://www.move-cycle-racks.com.tw

Carriers
Kickstands
Bottle Cages
Alloy Baskets

BY-104FR
Material: 6061 aluminum
Upper frame: 420 mm x 280 mm
Bottom frame: 373 mm x 237 mm
Height: 195 mm Weight: 820 g
Max. load: 5 kg

BY-105
Material: 6061 aluminum
Upper frame: 370 mm x 250 mm
Bottom frame: 320 mm x 215 mm
Height: 260 mm Weight: 780 g
Max. load: 5 kg
PATENT

BY-106D
Material: 6061 aluminum
Upper frame: 370 mm x 238 mm
Bottom frame: 309 mm x 153 mm
Height: 195 mm Weight: 580 g
Max. load: 5 kg
PATENT

BY-107B
Material: 6061 aluminum
Upper frame: 400 mm x 275 mm
Bottom frame:320 mm x 180 mm
Height: 247 mm Weight: 810g
Max. load: 5 kg
PATENT

BY-112A
Material: 6061 aluminum
Upper frame: 340 mm x 240 mm
Bottom frame: 280 mm x 180 mm
Height: 220 mm Weight: 670 g
Max. load: 5 kg

BY-112B
Material: 6061 Aluminum
Upper frame: 340 mm x 240 mm
Bottom frame: 206 mm x 168 mm
Height: 220 mm Weight: 610 g
Max. load: 5 kg

BY-123ABP
Material: 6061 Aluminum
With adapter BY-S.P.2
22.2 &25.4 & 31.8 mm
Max. load: 5 kg

BY-123ABP-T
Material: 6061 Aluminum
With adapter BY-S.P.2
22.2mm & 25.4mm & 31.8mm
Max. load: 10 kg

BY-123BB-T
Material: 6061 Aluminum
With steel adapter BY-BN2
28.8mm or 25.6mm
Max. load: 10 kg

BY-109A
Material: 6061 Aluminum
Upper frame: 375 mm x 285 mm
Bottom frame: 325 mm x 185 mm
Height: 193 mm Weight: 600 g
Max. load: 5 kg

BY-229U
Material: 6061 Aluminum
Weight: 1300 g
Max. load: 10 kg

S.P.2
Adapter for basket
22.2 & 25.4 &31.8 mm
Weight: 300 g
Max.load: 5 kg

E-S.P.2
Adapter for E-BIKE
22.2 & 25.4 &31.8 mm
Weight: 270 g
Max.load: 5 kg

EN14872 **ISO 11243 : 2016**

JOOU-LIX INDUSTRIES CO., LTD.
Add: No. 36, Yi Hsing St., Yi Hsing Village, Hsiu Shui Hsiang, Chang Hua, Taiwan
Tel: 886-4-7631668/9
Fax: 886-4-7633458
E-mail:ulix@ms18.hinet.net
Executive: Tony Hsu

JOOU-LIX Model: UL-50A
Carrier for suspension or regular bike.
Fits to seat post.
Dia 25.4 to 31.8mm
Material: Alloy clamp, alloy frame, alloy tap-plate.
Load of 15kgs.
No. 98508907

JOOU-LIX Model:UL-50A-1
Carrier for suspension or regular
Fits to seat post.
Dia 25.4 to 31.8mm
Material:Alloy clamp, alloy frame, alloy tap-plate.
Load of 15kgs.
No.005060701

JOOU-LIX Model:UL-73A UL-73S(steel)
Material:Alloy W/PP coat
Fits to seat post.
Dia 25.4 to 31.8 mm
Load of 9 kgs
JOOU-LIX Model:UL -76A
Material:Alloy W/PP coat
Fits to seat post.
Dia 25.4 to 31.8 mm
Load of 9 kgs
No. 08506701

JOOU-LIX Model:UL-50A-3-1
Alloy seat post rear rack
Dia:25.4-31.8mm
Fits to seat post
Can be adjustable plate
Material:Alloy
Max.load:15kg
No. 09506702



JOOU-LIX Model:UL-178
Stainless front rack.
No. 11057024

JOOU-LIX Model:UL-179
Stainless carrier.
No. 11057025



JOOU-LIX Model:UL-180-F
Stainless front rack.
No. 11057026

JOOU-LIX Model: UL-47A
Rear alloy carrier.
No. 97508901

JOOU-LIX Model: UL-59A
Alloy carrier for 26", 700C, 28" bikes
No. 98508911

JOOU-LIX Model: UL-57A
Alloy carrier for 26", 700C, 28" bikes
No. 11057017

JOOU-LIX Model:UL-26A
Rear alloy carrier with sleep top plate.
Easy seat stay or brake-bolt.
No.005060718

JOOU-LIX Model: UL-58A
Alloy carrier for 26", 700C, 28" bikes
No. 98508910

JOOU-LIX Model: UL-48A
Alloy rear carrier.
No. 11057016

JOOU-LIX Model: UL-201A Schrader Valve cap(alloy)
(for cars, motorcycles, bicycles)
※Swarovski crystal
No. 11057033

JOOU-LIX Model: UL-202A Presta Valve cap(alloy)
(Swarovski crystal)
No.10412016

UModel:L-C1
Feature:
1. 6061 Alloy construction with three robust bolts and two external tooth lock washers.
2. 360 degree angle recline to fit any bending of diameter 22.2mm handle bar.
3. Cup holder ring is lined with a soft grip material to keep your mug snug.
4. It's designed to hold a cup with a tapered body and a sealed lid.
(Not available in United States of America)

Model:UL-C2
Feature:
1. 6061 Alloy construction with three robust bolts, two washers and one nut.
2. Install at seat tube (Not recommend at down tube).
3. Cup holder ring is lined with a soft grip material to keep your mug snug.
4. It's designed to hold a cup with a tapered body and a sealed lid.



JOOU-LIX Model: UL-130A
Fixedon seat post.
Bottle cage bracket.

JOOU-LIX Model: UL-131A
Fixedon on handlebar
Bottle cage bracket.
With no cage.
No. 11057032



Model:UL-308S
Display stand.
No.11410714

JOOU-LIX Model:UL-310A
Alloy Guidance Bar Fixed to seat post, for children bike, it can be assembled.
No.06506001

JOOU-LIX Model:UL-310S-1
Guidance bar.
Fixed to seat post.
For chider bike.
No.01506021

JOOU-LIX Model:
UL-163 STAINLESS BOTTLE CAGE
No. 10506713

JOOU-LIX Model:UL-101A
UL-101A Riveted type water bottle cage.
U.S.A. P.A.T.

JOOU-LIX Model:UL-105A
UL-105A
Light alloy welded installation clips.
And hardware included.
No. 98508949

JOOU-LIX Model: UL-107A
Alloy bottle cage
Avoid the influence of front der clamp
U.S.A. P.A.T.
No. 11057029

JOOU-LIX Model: UL-129A
UL-129A
5.0mm aloy bottle cage.
No. 99506652

JOOU-LIX Model:UL-N13
Double sided aluminum Display rack (flat plate display)
wider gap for quick release lever
Longer lever for easy of use
No. 09506710

JOOU-LIX Model:UL-303
Display Stand
Applied to common bike,
quick-release holding
system, BMX bike
Fits 20"-28" bikes
No.11410715

JOOU-LIX Model:UL-N8
Robust tubular steel construction
Also suitable for mountain bikes
Hoop spacing for bicycles with tire widths of
up to 63mm

JOOU-LIX Model:UL-304
Display Stand
Applied to front and rear wheel
Foldable
No.11410717

JOOU-LI X
Model:UL-302
Display stand
universalstand.
Universal bock
20" to 28"
No.11410718

Model:UL-302-1
Q.R.available
Model:UL-302-1L
Display stand suitable
for quick-release
Fits 29" bikes
No.11410718-1



Model: UL-302-2 302-3
Universal display stand.
Suitable for quick release
Universal bock 20"to 28"
UL-302-2 Extralarge type
UL-302-3 Extralong tyqe
No.11410719

Model:UL-306S-4
4-bikes display rack
No.11410720

JOOU-LIX
Model:UL-316A
Alloy Storage Rack
Collapsible-saves
Space Attach it to a wall
No.11410721

Model:UL-306S-1
2-bike display rack.
No.1004107022
Model: UL-307S
Bike display stand.
Fixed type.
Adjustable for any frame style easy
to assemble.
No. 9650893

Model:UL-309S
1 Bike display rack.

Model:UL-312A
Wheel Adjustable Jig.
No.11410723

JOOU-LIX
Model:UL-311S
Steel 2-hikes display rack
No.11410724

JOOU-LIX
Model:UL-313S
Steel workstand
No.11410725



JOOU-LIX Model:UL-N1-3
3 Bike display rack.
Model:UL-N1-5
5 Bike display rack.
No tools needed forassembly

JOOU-LIX
Model:UL-N1- Fork
(46mm)
For new system one BB
ϕ 46m/m
No.11410726

CARRIERS

DESIGNING

TAIWAN EXCELLENCE 2016

TAIPEI CYCLE d&i awards 2013

ORGANIZED BY

Universal Trunk Bike Carrier


Standard Dog Guards

Aluminum Cross Bar With Locks For Opened Rail

Roof Luggage Basket

MANUFACTURING

Automatic Cutting Machine

Punch Machine (30T to 300T)

Japanese Welding Robots

Clean and Organized Warehouse

CNC Bending Machines

6 Loading Docks

Mordern Assembly Line

Tooling Facility

TESTING

Salt Spray Test

Rough Road Test

Vibration Test

Fatigue Test

100% QUALITY
XP R18-904-4:2008
validated by TÜV NORD

100% QUALITY
ISO/PAS 11154:2006
validated by TÜV NORD

Carton Bursting Test

Roof Carrier City Crash Test

Tensile Strength Test

Car Carrier Static Test

Ramp Test

Hardness Test

KR Est.1977

KING ROOF

40 YEARS EXPERIENCE IN MANUFACTURING, TESTING, AND DESIGNING CAR RACKS

KING ROOF INDUSTRIAL CO., LTD
NO.77, Ln.100, Shuitou 1st Road, Wai Pu District,Taichung City 43856, Taiwan
Tel: +886-4-26832568
Fax: +886-4-26831068
Email: jason.kingroof@gmail.com

TOUR DE TAIWAN
Official bike carrier for tour de taiwan since 2000

TÜV
ISO 11154 : 2006
ISO SAFETY COMPLIED

TÜV
XP R18–904–4:2008
ISO SAFETY COMPLIED

Seiki
KING SHEN CO.,LTD.
NO.50,Lane958,Jhang Hua Rd,Huatan,Chang Hua,Taiwan
Tel:886-4-7636655 Fax:886-4-7632211
E-mail: randy@k-stool.com.tw may@k-stool.com.tw
http://www.seiki.com.tw www.k-stool.com.tw

Bike Storage

CB-618E
BIKE STAND
EXTENDABLE



CB-757
BIKE STAND

ST-0010
SUPPORT & BIKE HANGER
bike hanger for 2 bikes
160~290cm

CB-741-4A
BIKE STAND
EXTENDABLE

ST-117A
Spring arm holds bike wheel automatically
Fits various size of wheel
PATENTED

CB-765
Wall mount
bike hanger

Bike Adapter

Allow You To Carry Bikes With Sloping
Top Tubes And Fits Ladies Bikes
PATENTED

CB-6100

CB-610C

CB-610D

Roof Rack

CB-6410
Upright Roof Rack

CB-641A
Upright Roof Rack

Roller & Accessories

CB-700A
Triple Roller Trainer
Material: Aluminum

CB-700
Triple Roller Trainer
Material: Roller Aluminum & Steel Frame

Relaxation Life Best Partnership

Bike Carrier

CB-6270
2-BIKE CARRIER
· 30Kgs

CB-783B
2-BIKE CARRIER
· 30Kgs

CB-701B
3-BIKE CARRIER
· 45Kgs

Trailer Bike Carrier

CB-816

CB-696B
Rail Rack
2 Bikes
Fits 2"&1-1/4" Receiver
PATENTED

CB-735R

CB-615A

Bike Mount Adapter

CB-821
Rail Rack
2 Bikes
Fits 2" Receiver

CB-822
Rail Rack
4 Bikes

CB-617C
Axle Diam: 9mm

CB-617L
Axle Diam: 15 & 20mm
PATENTED

CB-617G
Axle Diam: [illegible]

CB-617H
Axle Diam: [illegible]

CB-617I
Axle Diam: [illegible]

CB-617J
Axle Diam: [illegible]

Relaxation Life Best Partnevship

CHIEN GER INDUSTRIAL CO.,LTD.

Add:64-6,Fan She Tsun,Fu Shing Hsiang,Chang Hua Hsien,Taiwan
Tel:886-4-7778729 7780687 (EXP.DTX) 886-2-26701599
Fax:886-4-7783189(EXP.DTX)886-2-86619366
E-mail:chienkon@ms46.hinet.net

CK-06
Material: Steel
Size: 24”, 26”, 27”, 28”

CKF-02
Material: Steel
Size: 24”, 26”, 28”

CK-35
Material: Steel
Size: 24”, 26”, 27”, 28”

CKM-24
Material: Alloy or CR-MO
Size: 20”, 24”, 26”, 28”

CK-39
Material: Steel
Size: 20”, 24”, 26”, 28”

CKR-03
Material: Steel
Size: 26”, 28”

CKA-57
Material: Alloy
Size: 24-700c

CKR-01
Material: Steel or Alloy
Size: 24-700c

CARRIERS

MASSLOAD
財　榮
http://www.cl-massload.com.tw
TSAI JUNG ENTERPRISE CO.,LTD.
Taiwan:
No.55,Hsing Kung Road.Chuan Hsing Ind,Area.
Shen-Kang Hsiang,Changhua Hsing,Taiwan
TEL:886-4-799-4998 FAX:886-4-799-4996
E-mail:massload@ms34.hinet.net
Mainland China Factory:
No.78,Zhenghe east Road.
Taicang City Jiangsu Province,P.R.C
TEL:86-512-5356-5556 FAX:86-512-5356-3896
SHUN CHUEN METAL PRODUCTS CO.,LTD.
China:
Yinshan Ind.Area,Qingxi Zhen,Dongguan City,
Guangdong Province,P.R.C
TEL:86-769-8773-2273 FAX:86-769-8773-4185

CL-403

Taiwan / China
Description: Tig welded carrier, w/o spring clip
Max loading: 25kg
Bike size: 24", 26", 700C ,or 28"
Finish/color: P/C matt black or silver
Anodized matt silver
Packing: 20 pcs/ctn, 5.94 cufts

CL-420

Taiwan / China
Description: Tig welded alloy rear rack
Fits on seat post
Protector & hook plate are optional
For seat post 25.4mm - 32mm
Max loading: 10kg
Finish/color: P/C matt black,P/C matt silver
Anodized matt silver
Packing: 20 pcs/ctn, 2.70 cufts



CL-621

Taiwan / China
Description: Clamp : QR fits ⌀25.4~⌀32mm
Max loading: 10kg
Finish/color: P/C matt black,P/C matt silver

CL-680

Taiwan
Description: Alloy Rear Carrier
Compatible with Herrmans
H-Cargo light
Max loading: 25kg
Bike size: 26",700C,28"
Finish/color: P/C matt black,P/C matt silver

CL-614

Taiwan
Description: Folding type
Spring clip is optional
Max loading: 25kg
Bike size: Adjustable 26"- 29"
Finish/color: P/C matt black,P/C matt silver

CL-597

Taiwan
Description: Compatible with disc brakes frame Good strength and visual effects.Most economic selection
Max loading: 25kg
Bike size: Adjustable 26" - 29"
Finish/color: P/C matt black,P/C matt silver

CL-408

Taiwan / China
Description: Tig welded alloy rear carrier
Max loading: 25kg
Bike size: Adjustable:26"-28"
Finish/color: P/C matt black or silver
Anod matt silver
Packing: 16 pcs/ctn, 7.20 cufts

CL-645

Taiwan
Description: Alloy Rear Carrier . Seatstay bridge/ fender mount carrier
Max loading: 25kg
Bike size: 26",700C,28"
Finish/color: P/C matt black,P/C matt silver

CL-626

Taiwan
Description: Alloy Rear carrier
Suitable for OEM
Max loading: 25kg
Bike size: Adjustable 24"-28"
Finish/color: P/C matt black,P/C matt silver

CL-549-1

Taiwan / China
Description: Tig welded alloy rear carrier
Max loading: 25kg
Bike size: Adjustable 26"-28"
Finish/color: P/C matt black or silver
Anod matt silver
Packing: 16 pcs/ctn, 4.50 cufts

CL-552-1

Taiwan / China
Description: Suitable for the frame with disc-brake or general frame
Tig welded alloy rear carrier
Max loading: 25kg
Bike size: Adjustable 26"-28"
Finish/color: P/C matt black or silver
Anod matt silver
Packing: 16 pcs/ctn, 5.90 cufts

CL-627

Taiwan
Description: Suitable for Road Bike
Quick Release is available
Max loading: 7kg
Bike size 700C
Finish/color: P/C matt black,P/C matt silver

CL-632-1

Taiwan
Description: Suitable for BOSCH battery system. Spring clip is optional
Max loading: 25kg
Bike size: 26",700C,28"
Finish/color: P/C matt black ,P/C matt silver

CL-633

Taiwan
Description: Suitable for Shimano battery system.
Spring clip is optional
Max loading: 25kg
Bike size: 26",700C,28"
Finish/color: P/C matt black,P/C matt silver

CL-ST01

Taiwan
Description: Steel Rear Bike Stand
Parking or display
Max loading: 20kg
Bike size: Adjustable 20"- 29"
Finish/color: ED black/Black plastic part

CL-612

Taiwan
Description: Compatible with disc brakes frame or any frame
Die cast one piece frame
Spring clip is optional
Max loading: 25kg
Bike size: Adjustable 26" - 29"
Finish/color: P/C matt black,P/C matt silver
ED Black

CL-582

Taiwan
Type: Die cast one piece frame,
Spring clip is optional
Two stays design
Max loading: 25kg
Bike size: 26",700C,28"/Adjustable 24"- 28"
Finish/color: P/C matt silver,ED Black

CL-ST02

Taiwan
Description: Steel adjustable bicycle hanger
Wall mounted for one bike
Max loading: 18kg
Bike size: Suitable for 20"~29" wheels
Finish/color: ED Black

CL-ST03

Taiwan
Description: Steel bicycle hanger
Wall mounted for one bike
Max loading: 18kg
Bike size: Suitable for 20"~29" wheels
Finish/color: ED Black

CL-705F

Taiwan / China
Description: Tig welded alloy front carrier
Max loading: 9kg
Finish/color: P/C matt black, P/C matt silver
Anodized matt silver
Packing: 24 pcs/ctn, 4.30 cuft



CL-879F

Taiwan / China
Description: CL-879F Dia. 10.2mm
Tig welded alloy low rider
Max loading: 9kg
Finish/color: P/C matt black, P/C matt silver
Anodized matt silver

CL-S02

Taiwan / China
Type: Elastic Strap
Finish/color: S02D-Black/Gray/White
S02F-Black/Blue/White
S02G-Black/Green/White
Packing: 200 pcs/ctn, 3.10 cuft



CL-S26

Taiwan / China
Type: Elastic Strap 4-flat
straps with plastic hook
Packing: 200 pcs/ctn, 3.10 cuft

CL-S04

Taiwan / China
Type: Elastic Strap
Finish/color: Black
Packing: 200 pcs/ctn, 3.10 cuft

CARRIERS

MASSLOAD
財　榮
http://www.cl-massload.com.tw
TSAI JUNG ENTERPRISE CO.,LTD.
Taiwan:
No.55,Hsing Kung Road.Chuan Hsing Ind,Area.
Shen-Kang Hsiang,Changhua Hsing,Taiwan
TEL:886-4-799-4998 FAX:886-4-799-4996
E-mail:massload@ms34.hinet.net
Mainland China Factory:
No.78,Zhenghe east Road.
Taicang City Jiangsu Province,P.R.C
TEL:86-512-5356-5556 FAX:86-512-5356-3896
SHUN CHUEN METAL PRODUCTS CO.,LTD.
China:
Yinshan Ind.Area,Qingxi Zhen,Dongguan City,
Guangdong Province,P.R.C
TEL:86-769-8773-2273 FAX:86-769-8773-4185



CL-037C
Taiwan / China
Type: Alloy water bottle cage O/D 5mm
Finish/color: ED black or anodized silver
Powder coating color
Weight: 53g

CL-106
Taiwan Weight: 48±2g
Type: Plastic Water Bottle Cage
Special double shot design
Finish/color: Black w/green frame
Black w/blue frame

CL-103
Taiwan Weight: 42±2g
Type: Aluminum Plate Water Bottle Cage
Finish/color: Sandblasted Anod.black/silver
Powder coating white

CL-111
Taiwan
Type: Plastic Water Bottle Cage
Carbon Lozenge Looking
Finish/color: Black / White
Weight: 35g

CL-053L
Taiwan / China
Type: Aluminium Plate Water Bottle Cage
Finish/color: Sandblasted Anod. matt silver/
black. carbon looking. P/C white
Weight: 49g

CL-105
Taiwan Weight: 18±2g
Type: Aluminum Plate Water Bottle Cage
Ultra light aluminum material
Finish/color: Sandblasted Anod.black/silver

CL-093
Taiwan
Type: Plastic Water Bottle Cage
Finish/color: Black/White
Weight: 45±2g

CL-097
Taiwan
Type: Plastic Water Bottle Cage
Finish/color: Black/White
Weight: 38±2g

CL-098
Taiwan
Type: Plastic Water Bottle Cage
Finish/color: Liquid coat black/white
Weight: 48±2g

CL-110
Taiwan Weight: 30g
Type: Plastic Water Bottle Cage
Double shot cage
Finish/color: Black body with Blue,White or
Red with clear coating

CL-095
Taiwan
Type: Plastic Water Bottle Cage
Finish/color: Black/White
Weight: 50±2g

CL-091
Taiwan
Type: Alloy Water Bottle Cage O/D 5mm
Finish/color: ED Black with black plastic
Anod silver with black plastic

CL-087
Taiwan
Type: Plastic Water Bottle Cage
Finish/color: Black / White
Weight: 35g

CL-099L
Taiwan Weight: 42±2g
Type: Aluminum Plate Water Bottle Cage
Finish/color: Sandblasted Anod. black/silver
Powder coating white

CL-101
Taiwan
Type: Plastic Water Bottle Cage
Finish/color: Liquid coat black/white(Nylon)
Black/White(PC)
Weight: 36±2g

CL-079L
Taiwan
Type: Aluminium Plate Water Bottle Cage
Finish/color: Sandblasted Anod. black/silver
P/C White/Black.Carbon Looking
Weight: 26±2g

CL-102
Taiwan
Type: Plastic Water Bottle Cage
Finish/color: Black/White
Weight: 37±2g

CL-083L
Taiwan / China
Type: Aluminum Plate Water Bottle Cage
Finish/color: Sandblasted Anod. Black
Sadblasted Anod. Silver
P/C White
Weight: 32±2g

CL-078
Taiwan Weight: 28±2g
Type: Plastic Water Bottle Cage
Finish/color: Black/ White
Transparent red/blue/gold

CL-107
Taiwan / China Weight: 69±2g
Type: Adjustable Water Bottle Cage
Suitable for ⌀62-⌀73mm bottle
Finish/color: Back part-Black color
Sandblasted Anod.black/silver

CL-D46
Taiwan
Type: Adjust vertical or lateral direction when
it fits on the handle bar or stem
Any existing bottle cages ard acceptable
Function:Fits on the handle bar and stem
22.2mm-31.8mm

CL-089L
Taiwan Weight: 29±3g
Type: Aluminum Plate Water Bottle Cage
Finish/color: Sandblasted anodized
black/ silver
Powder coating white

YWS-CL1

Diameter : 8, 10, 12mm
Color : Black
Special Design : With brass cylinder key and child-safety features
Length : 60, 90, 120, 150, 180cm

YWS-CL2

Diameter : 8, 10 mm
Color : Black
Length : 60, 90, 120, 150, 180cm

YWS-CL4 Penguin Lock

Dimensions : 93mm x 90mm
Lock Core : Cylinder Lock
Color : Black/Grey/Pink/Blue
Usable maximal Length : 75cm
Material : Plastic Shell and Steel Cable

YWS-EL3

Diameter : 132mm
Color : Black/Silver
Special Design :
1.With brass cylinder key
2.With children safety function

YWS-EL6-C1

C1 : Installation Methods

Screw on rear fork

YWS-EL6-C2

C2 : Installation Methods

Screw on bridge

Diameter : 134mm
Color : Black
Special Design :
C1 & C2 version for installation options

YWS-EL7

Diameter : 140mm
Color : Black/Silver
Special Design :
1.With brass cylinder key
2.With children safety function

YWS-EL7C +Cable

Diameter : 140mm
Color : Black
Special Design :
1.With children safety function
2.With cable connected to protect your bike even more effectively against theft
3.PVC cover of steel cable 12mm, L:1000mm

YWS-EL7C +Chain

Diameter : 140mm
Color : Black
Special Design :
1.With children safety function
2.With chain connected to protect your bike even more effectively against theft
3.5mm square chain,L:900mm

YWS-JL8

Diameter : 105mm
Color : Black/Gray

YWS-JL8A

Installation Methods

The ring lock can bescrewed on the front/rear pivot

Diameter : 105mm
Color : Black/Gray
Special Design :
The ring lock can be screwed on the front/rear pivot.

YWS-JS1

Diameter : 109mm
Color : Black/Gray
Special Design : With brass key, zinc alloy cylinder and housing

YWS-51H

Diameter : 115mm
Color : Silver/Black (U.C.P)

YWS-51U

Diameter : 115mm
Color : Silver/Black (C.P. Top & U.C.P. Base)

YWS-52

Diameter : 119mm
Color : Silver/Black (U.C.P)

YWS-52A

Diameter : 119mm
Color : Silver/Black (U.C.P)
Special Design : The ring lock can be screwed on the front/rear pivot.

YWS-52H

Diameter : 119mm
Color : Silver/Black (U.C.P)

YWS-52P

Installation Methods



Diameter : 119mm
Color : Silver/Black (U.C.P)
Special Design : Screw on bridge of frame

源文興工業股份有限公司
YUAN WEN SHING INDUSTRIES CORP.
地址：514彰化縣溪湖鎮彰水路四段686號
686 CHANG-SHUI RD. SEC. 4, HSI-HU, CHANG-HUA, 514, TAIWAN
TEL: 886-4-8855111-3 FAX: 886-4-8810007 E-Mail: yws59089@ms10.hinet.net http: //www.yws.com.tw

LOCKS

YWS-53
Diameter : 132mm
Color : Silver/Black (U.C.P)

YWS-56
Diameter : 131mm
Color : Black/Gray
Special Design : With brass cylinder key

YWS-57A
Diameter : 131mm
Color : Black
Special Design : With brass cylinder key

YWS-67
Color : Silver/Black
Special Design : Front fork side lock/ Spoke lock

U Type Clips
Special Design : 3-hole clips attached to YWS-51U/YWS-52/YWS-53/YWS-56 can be replaced by U type clips



Accessories

YWS-1001
Material : Stainless Steel
Length : 115mm
Special Design : For Torpedo F&S 3-speed hub

YWS-1002
Material : Stainless Steel
Length : 134mm
Special Design : For Sturmey-Archer 3-speed hub

YWS-1003
Material : Stainless Steel
Length : 127mm
Special Design : For Sturmey-Archer 3-speed hub

YWS-1011
Material : Stainless Steel
Length : 122mm
Special Design : For Torpedo F&S 3-speed hub

YWS-1015
Material : Stainless Steel
Length : 122mm
Special Design : For Torpedo F&S

YWS-1016
Material : Stainless Steel
Length : 156mm
Special Design : For Torpedo F&S 5-speed hub

YWS-1211
Material : Steel
Color : U.C.P finished
Special Design : Extender for front or rear fork

YWS-1005
Material : Steel
Color : U.C.P finished
Special Design : Axle nuts for Torpedo F&S 3-speed hub



YWS-1006
Material : Steel
Color : U.C.P finished
Special Design : Axle nuts for Torpedo F&S 3-speed hub

YWS-1007
Material : Steel
Color : U.C.P finished
Special Design : Axle nuts for Sturmey-Archer 3-speed hub

YWS-1008
Material : Steel
Color : U.C.P finished
Special Design : Axle nuts for Sturmey-Archer 3-speed hub

1009
Material : Stainless Steel
Length : 45.2mm (Screw Length 30mm)

1009L
Material : Stainless Steel
Length : 60.2mm (Screw Length 45mm)

1010
Material : Stainless Steel
Length : 54.2mm (Screw Length 30mm)

源文興工業股份有限公司
YUAN WEN SHING INDUSTRIES CORP.
地址：514彰化縣溪湖鎮彰水路四段686號
686 CHANG-SHUI RD. SEC. 4, HSI-HU, CHANG-HUA, 514, TAIWAN
TEL: 886-4-8855111-3 FAX: 886-4-8810007 E-Mail: yws59089@ms10.hinet.net http: //www.yws.com.tw

HANDYWAY

The Professional Maker of the High Security Lock Porducts

CL-200 W/BL-718 Bracket

CL-428 W B/L-718 Bracket

CHL-460 Chain Lock

CHL-407

CHL-514N

CHL-923

CHL-419 Chain Lock

CHL-811 Chain Lock

CHL-428 Chain Lock

CHL-872

CHL-870 Chain Lock

CHL-518

CHL-839 Chain Lock

CHL-877

STL-2800C(Retractable lock)

WF-03

FL-502

FL-600

CL-407 W/BL-407 Bracket

CL-615

FL-560+BL-560 Bracket

CL-613 Soft material conting

CL-445(Adjustable cable lock)

CL-413 Helmet Lock

TAIWAN
No.101-16, Sec.1, Zhongxing Rd., Hemei Town, Changhua 50854, Taiwan
Tel: 886-4-7355866 Fax: 886-4-7355865 E-mail: sales@handyway.com.tw
http://www.handywaylock.com.tw

CHINA
Quzhong Road, Ludu Town, Taicang City, Jangsu China 215412
Tel: 86-512-82785667 Fax: 86-512-82785679

HD-9005
(Disk lock with disk reminder)

CL-866

CL-608

CL-877

CL-8100 W BL-718 Bracket

CL-873 Children Lock

CL-460 Children Lock

CL-419

HL-220 Chain Lock

CHL-101 Chain Lock

CL-870

CL-861

UL-805

UL-801

SKL-3000C

STL-2900C

CL-616

BL-758 bracket

BL-724 Combo Bracket

UL-802 W/BL-108 Bracket

UL-807 W/BL-722 or W/BL-768

SKL-3100C

UL-1023 W/BL-722 or W/BL-768

UL-816N BL-768 Bracket

UL-1020

www.ywschina.com

源文興車料（太倉）有限公司
江蘇省太倉市陸渡鎮鄭和中路158號 郵編: 215412
Yuan Wen Shing Bicycle Fittings (Tai-Cang) Co., Ltd.
158 Zheng-He Zhong Rd., Ludu Town, Taicang City,
Jiangsu Province, 215412 China
Tel: +86-512-53456777 Fax: +86-512-53450753
Email: ywschina@yeah.net

台灣 OFFICE
艾特克實業有限公司
51441 彰化縣溪湖鎮興學街207號
ARGON Enterprise Co., Ltd.
No.207, Xingxue St., Xihu Township,
Changhua County 51441, Taiwan
Tel: 04-8819935 Fax: 04-8819933
Email: ywsjessica@gmail.com



Dimple Key Wafer Key

YWS-JL19
Dimple Key
A : 80mm
B : 64mm

YWS-JL17AY
Dimple Key / Wafer Key
A : 73mm
B : 64mm

YWS-JL17BY
Dimple Key / Wafer Key
A : 73mm
B : 64mm

YWS-JL17C
Dimple Key / Wafer Key
A : 73mm
B : 64mm

YWS-JL15B
Dimple Key / Wafer Key
A : 57mm
B : 52mm

YWS-JL13
Wafer Key
A : 57mm
B : 52mm

YWS-JL11
Wafer Key
A : 57mm
B : 52mm

YWS-BD15
Dimple Key
Front fork side lock / Spoke lock
Can be key alike (1 key 2 locks)
with YWS-JL15 / JL17

YWS-BD11
Wafer Key
Front fork side lock / Spoke lock

YWS-Battery Lock
(for Electric Bicycle)
Customization

LOCKS

ZT-B036 Transformers ratchet tool

1

Convenient adsorption

2

3 Chain Tool and Brass Presta adaptor

Co2 inflator operating



Control the flow of Co2 by turn on or turn off the Co2 cartridge about 1 second and repeat the action,until the tire is full of Co2.

LED Lighting

4

5

Pocket Pump

Use ratchet tools

Using inflatable pump

www.airbone.com.tw
airbone@airbone-tw.com
TEL:+886-47686511 FAX:+886-47686516

CO-LUCK ENTERPREISE CO., LTD
No. 2 LANE 187, SHI HU RD., TALI DIST., TAICHUNG CITY, TAIWAN

TEL: 886-4-24934676
FAX: 886-4-24953073

Email:giyo@giyo.com.tw
URL: www.giyo.com.tw

GIYO

集 優 企 業 股 份 有 限 公 司
台中市大里區西湖路187巷2號
ISO 9001

GP-21
2-Way Mini Pump W/Gauge

GP-23 **GP-24** W/GAUGE
2-Way Mini Pump W/Clever Valve

GP-41A **GP-61A** TELESCOPE
Mini Pump W/In-Line Gauge

GP-04S **GP-06S** TELESCOPE
Pocket Mini Pump

GP-41S **GP-61S** TELESCOPE
Mini Pump W/In-Line Gauge

GP-45
Economic Mini Pump

GP-45L
Economic Mini Pump W/Lever

GP-46L **GP-46E** TELESCOPE
Mini Pump W/Lever

GP-07
Big Volume Mini Pump T-Handle

GP-74
Twin-Valve Big Volume Telescope Mini Pump

GP-76C
2 in 1 "Clever Valve" Big Volume Mini Pump

GP-78
Alum Mini Pump W/New Clever Valve

GP-781
Alum Mini Pump W/**CVN** & In-Line Gauge

GP-82 **GP-83** W/DIAL GAUGE
Pocket Micro Pump W/Extractable Hose

GP-871
Hybrid **CNC** Mini Pump W/**CNC** Gauge & Thumb-Lock Clever-Twin-Valve

GP-861
Mountain **CNC** Mini Pump W/**CNC** Gauge & Thumb-Lock Clever-Twin-Valve

GP-85L
Road **CNC** Mini Pump W/Extractable Hose & Reversible Valve

GP-86P
Mountain Mini Pump W/Extractable Hose & Reversible Valve

GP-87P
Hybrid Mini Pump W/Extractable Hose & Reversible Valve

GP-87E
Hybrid Mini Pump W/Extractable Hose & Reversible Valve

GF-01N
High Pressure Floor Pump

GF-13
High Pressure Floor Pump W/**CVA** & Top-Mounted Gauge

GF-14DI
Engaged Auto Power-On Alum Floor Pump W/**LCD** Backlit Digital Gauge

GF-15SS
2 IN 1 Hi-Polish Alum Shock & Floor Pump

GF-15SP
High Pressure Alum Floor Pump W/Clever-Twin-Valve

GF-15S3
3" Big Gauge Hi-Polish Floor Pump

PUMPS

CO-LUCK ENTERPREISE CO., LTD
No. 2 LANE 187, SHI HU RD., TALI DIST., TAICHUNG CITY, TAIWAN
TEL: 886-4-24934676 Email:giyo@giyo.com.tw
FAX: 886-4-24953073 URL: www.giyo.com.tw

GP-23D **GP-24D** W/GAUGE
2-Way Deluxe Mini Pump W/Clever Valve

GP-26
2-Way Mini Pump

GP-04T **GP-06T** TELESCOPE
Twin-Valve Thumb-Lock Mini Pump

GP-06C
High-Pressure High-Volum Alum Mini Pump

GP-62A
High-Pressure High-Volum Alum Mini Pump

GP-06 **GP-61** W/GAUGE
Thumb-Lock Telescope Mini Pump

GP-47L
Economic Mini Pump W/Lever

GP-48A
Alum Mini Pump W/Top Lever On Pump Head

GP-49A
Road Alum Mini Pump W/Top Lever On Pump Head

GP-77
Telescope Mini Pump W/T-Handle

GP-77C
2 in 1 Telescope Mini Pump W/Clever Valve for "**HIGH PRESSURE**" & "**HIGH VOLUME**"

GP-77T
Telescope Mini Pump W/Twin-Valve & T-Handle

GP-85
Road **CNC** Mini Pump W/Hose & Screw-in Clever Valve

GP-86
Mountain **CNC** Mini Pump W/Hose & Screw-in Clever Valve

GP-87
Hybrid **CNC** Mini Pump W/Hose & Screw-in Clever Valve

GP-86L
Mountain **CNC** Mini Pump W/Extractable Hose & Reversible Valve

GP-87L
Hybrid **CNC** Mini Pump W/Extractable Hose & Reversible Valve

GP-85P
Road Mini Pump W/Extractable Hose & Reversible Valve

GP-87EP
Economic Hybrid Mini Pump W/Extractable Hose & Reversible Valve

GP-861E
1.5" Dial Gauge Mountain Alum Mini Pump

GP-871E
1.5" Dial Gauge Alum Mini Pump

GF-15BT
iGauge Tripod Hi-Polish Alum Floor Pump

GF-16 **GF-16B**
High Pressure Floor Pump W/Clever-Twin-Valve

GF-91
Engaged Auto Power-On **LCD** Top-Mounted Digital Gauge Alum Floor Pump

GF-94HV
High Volume **29"MTB** Alum Floor Pump W/Top-Mounted Gauge

GF-99T
Swivel Dual Face Gauge Tubeless Floor Pump

GF-94TE
Tubeless Alum Floor Pump

PUMPS

CO-LUCK ENTERPREISE CO., LTD
No. 2 LANE 187, SHI HU RD., TALI DIST., TAICHUNG CITY, TAIWAN
TEL: 886-4-24934676
FAX: 886-4-24953073
Email:giyo@giyo.com.tw
URL: www.giyo.com.tw

GIYO
集優企業股份有限公司
台中市大里區西湖路187巷2號
ISO 9001

GP-871S
1.5" Dial Gauge Mini Pump

GP-09 **GP-91** W/GAUGE
Alum Mini Pump W/ T-Handle

GP-93
High Pressure Telescope Mini Pump W/ T-Handle

GP-96 **GP-97** TELESCOPE
One Way Mini Pump W/2-Tone T-Handle

GP-961
One Way Mini Pump W/Gauge

GM-11L
Road Telescope **CNC** Pocket Pump W/Clever-Twin-Valve



GM-11LL
Road **CNC** Mini Pump W/Clever-Twin-Valve



GM-12L
Hybrid Telescope **CNC** Pump W/Clever-Twin-Valve



GM-20LC
High Pressure 2-Way Carbon Mini Pump W/ T-Handle

GM-26
High Pressure Telescope Mini Pump

GM-21BT
iGauge Road **CNC** Micro Pump W/Clever-Twin-Valve



GM-04S
Telescope **CNC** Pocket Pump

GM-42
Pocket Mini Pump W/Lockable Handle

GM-04PL
Road **CNC** Super Micro Pump W/Lever

GM-04L
Road Telescope **CNC** Pocket Pump W/ Lever

GM-04LH
Road **CNC** Alum Mini Pump

GM-43SL
Mountain **CNC** Micro Pump W/ Lever

GM-45LL
Hybrid **CNC** Mini Pump W/Lever

GM-48L
Mountain Mini Pump W/Alum Lever

GM-49L
Road Mini Pump W/Alum Lever

GTT-01
Tubeless Rechargeable Air Tank

GF-5425
Steel Floor Pump With Top-Mounted Gauge

GF-63P
High Pressure Floor Pump W/Top-Mounted Gauge

GF-64D
Engaged Auto Power-On **LCD** Top-Mounted Backlit Digital Gauge Steel Floor Pump

GF-65
Engaged Auto Power-On **LCD** Top-Mounted Digital Gauge Steel Floor Pump

GF-69
Swivel Dual Face Gauge **MTB** & **FAT** Tire Floor Pump

CO-LUCK ENTERPREISE CO., LTD
No. 2 LANE 187, SHI HU RD., TALI DIST., TAICHUNG CITY, TAIWAN
TEL: 886-4-24934676 Email:giyo@giyo.com.tw
FAX: 886-4-24953073 URL: www.giyo.com.tw

GP-09T
Twin-Valve Alum Mini Pump

GP-92 **GP-94** W/GAUGE **GP-95** TELESCOPE
2-Way Alum Mini Pump W/ T-Handle

GP-92T
2-Way Alum Mini Pump W/ Twin-Valve

GP-96A
Plastic Mini Pump W/Alum Sleeve

GP-961A
Plastic Mini Pump W/Alum Sleeve & Gauge

GM-11L
Road **CNC** Micro Pump W/Clever-Twin-Valve



GM-13SL
Mountain **CNC** Micro Pump W/Clever-Twin-Valve



GM-02
High Pressure Road Pump W/Patch Kit for Racing Bike

GM-02L
High Pressure Road Pump W/Patch Kit & Lever

GM-23BT
iGauge Mountain **CNC** Micro Pump W/Clever-Twin-Valve



GM-31BT
iGauge Road **CNC** Mini Pump W/Clever-Twin-Valve



GM-33BT
iGauge Mountain **CNC** Mini Pump W/Clever-Twin-Valve



GM-04LT
Road **CNC** Micro Pump W/ Lever

GM-04BT
iGauge Road **CNC** Super-Micro Pump W/ Lever

GM-43BT
iGauge Mountain **CNC** Super-Micro Pump W/ Lever

GM-43LL
Mountain **CNC** Mini Pump W/ Lever

GM-45SL
Hybrid **CNC** Micro Pump W/Lever

GM-45L
Hybrid Telescope **CNC** Pocket Pump W/Lever

GM-55BT
iGauge Road Mini Pump W/Thumb-Lock Clever -Twin-Valve

GM-55I
Road Alum Mini Pump W/Thumb-Lock Clever-Twin-Valve



GM-56I
Mountain Alum Mini Pump W/Thumb-Lock Clever-Twin-Valve



GF-71
3" Big Gauge High Pressure Alum Floor Pump

GF-71HP
3" Big Gauge High Pressure Alum Floor Pump

GF-75ST
Steel Floor Pump

GF-2330
3" Big Gauge Steel Floor Pump

GF-6225
Steel Floor Pump With Top-Mounted 2.5" Gauge

GF-6325
Steel Floor Pump With High-Mounted 2.5" Gauge

CO-LUCK ENTERPREISE CO., LTD
No. 2 LANE 187, SHI HU RD., TALI DIST., TAICHUNG CITY, TAIWAN

TEL: 886-4-24934676 Email:giyo@giyo.com.tw
FAX: 886-4-24953073 URL: www.giyo.com.tw

GIYO
集優企業股份有限公司
台中市大里區西湖路187巷2號
ISO 9001

GM-57I
Hybrid Alum Mini Pump W/ Thumb-Lock Clever Twin-Valve



GM-06 **GM-61** W/GAUGE
High Pressure Mini Floor Pump

GM-71A
Alum Micro Floor Pump With Gauge

GM-73
Alum Micro Floor Pump

GM-731
Alum Micro Floor Pump With Gauge

GM-82 **GM-821** W/GAUGE
High Performance Micro Floor Pump

GS-01
Shock Pump

GS-02D
Foldable Shock Pump W/Lever & Gauge

GS-03S
Compact Shock Pump W/Removable Gauge

GS-41D
Mini/Shock Pump W/Dual face Removable Gauge



GS-411
Engaged Auot Power-on Digital Mini/Shock Pump

GC-03
CO2 Inflator

GC-04
CO2 Inflator W/Cartridge Housing

GC-05S **GC-05T** TELESCOPE
2 in 1 CO2 Mini Pump

GC-08
Forged Alum Micro CO2 Inflator W/Cartridge Storage End

GC-08C
Forged Alum Micro CO2 Inflator

GC-08S
Forged Alum Micro CO2 Inflator

GG-07
Engaged Auot Power-on Digital Tire Gauge

GT-01 **GT-02** 2-TONE
Tire Lever

GT-03
Tire Lever

GF-56
High Pressure Floor Pump W/Top-Mounted Gauge

GF-5625
Steel Floor Pump With Top-Mounted 2.5" Gauge

GF-5725
Alum Floor Pump With High-Mounted 2.5" Gauge

GF-5825
Alum Floor Pump With Top-Mounted 2.5" Gauge

GF-55P
High Pressure Steel Floor Pump

GF-5525
Steel Floor Pump

PUMPS

CO-LUCK ENTERPREISE CO., LTD
No. 2 LANE 187, SHI HU RD., TALI DIST., TAICHUNG CITY, TAIWAN
TEL: 886-4-24934676
FAX: 886-4-24953073
Email:giyo@giyo.com.tw
URL: www.giyo.com.tw

GM-631
Hi-Polish Mini Floor Pump W/**CNC** Gauge

GM-07 **GM-71** W/GAUGE
Micro Floor Pump

GM-07A
Alum Micro Floor Pump

GM-73BT
iGauge Hi-Polish Micro Floor Pump

GM-74
Hi-Polish Micro Floor Pump W/ Thumb-Lock Clever Twin-Valve

GM-08 **GM-81** W/GAUGE
High Pressure Micro Floor Pump

GS-02P
Compact Shock Pump

GS-22
Shock Pump W/Universal Pump Head

GS-03
Compact Shock Pump W/Removable Gauge

GS-05
Engaged Auot Power-on Digital Shock Pump

GS-05S
Engaged Auot Power-on Compact Digital Shock Pump

GS-05HP
Engaged Auot Power-on High Pressure Digital Shock Pump

GC-05
2 in 1 CO2 Mini Pump



GC-06
2 in 1 CO2 Mini Pump

GC-07
Micro CO2 Inflator

GG-02
Dial Tire Gauge
260 PSI

GG-04 **GG-06** 150/50 PSI
Dual Face Tire Gauge
300/110 PSI

GG-05
Tire Gauge Twin-Valve
160 PSI

GT-04 **GT-04S**
Alum Tire Lever W/Plastic Rim Protector

GTC-01
2 in 1 Alum CO2 & Tire Lever

GL-02
Glueless Patches Kit W/Steel Case

GF-31
High Pressure Floor Pump

GF-38P
High Pressure Steel Floor Pump

GF-39
Big-Volume Mountain-Bike Floor Pump

GF-04 **GF-4A**
Floor Pump

GF-42G
Compact Floor Pump

GF-43 **GF-43P**
Compact Floor Pump

PUMPS

SYNPOWELL BIKE TOOL

Professional Wrench Series

BT-91
15mm pedal wrench w/wood grip

BT-92
Chain whip w/wood grip

BT-93 Bamboo
15 mm pedal wrench w/bottle opener, Bamoo grip

BT-93A Bamboo
Pedal wrench with bottle opener & Hex 8 mm

BT-94 Bamboo
15 mm pedal wrench w/14mm, 15mm socket, Bamoo grip

FW-01
Rotor flatening wrench w/rose wooden grip, S50C, 4.0T

BT-92W
chain whip w/rose wooden grip, S50C, 4.0T

BT-14W
Freewheel wrench w/rose wooden grip, S50C, 4.0T, center pin for Shimano CS cassette, disk brake, center lock

BT-96
Bike wrench w/rose wooden grip, S50C, 4.0T, hex 8 mm & socket 14mm

BT-11CCW
Bottom bracket wrench w/rose wooden grip, S50C, 4.0T, To remove and install similar bottom bracket cups with 16 external notches.

BT-11COW
Bottom bracket wrench w/rose wooden grip, S50C, 4.0T To remove and install similar bottom bracket cups with 16 external notches.

BT-91W
15mm pedal wrench w/rose wooden grip, Cr-Mo, 4.5T

BT-11W
BB socket wrench w/rose wooden grip, S50C, 4.0T for Shimano cartridge BB socket

Chain cutter series

CT-03W
Chain splitter w/ rose wood handle, bottle opener, double driving pin for exchange & repair, 7-11 spee chain

Wooden arm series

BT-122
11 in 1 folding tool: hex 2/2.5/3/4/5/6/8mm /⊕/⊖/T25/chain cutter

BT-82
10 in 1 folding tool: hex 2/2.5/3/4/5/6/8 mm /⊕/⊖/T25

BT-52
8 in 1 folding tool: hex 2/2.5/3/4/5/6 mm /⊕/⊖

BT-16C
12 in 1 folding tool: hex 2/2.5/3/4/5/6mm/⊕/⊖ / bottle opener/ spoke wrench 14/15g cork screw

BT-16
20 in 1 folding tool: hex 2L/3L (self maintenance) /2/2.5/3/4/5/6/8 mm /⊕1/2/⊖3/5/T10/25/ chain cutter/ bottle opener/ tire lever/ spoke wrench 14/15g

TOOLS

SYNPOWELL

U-POWER COLLECTION ENT. CO., LTD.
No. 39, Lane 219, Shi Hoo Road, Tali Dist., Taichung City, 41263 Taiwan.
Tel: +886 4 24 91 53 78 Fax: +886 4 24 96 23 14
syn.powell@msa.hinet.net www.synpowell.com.tw

WF-8
Adjustable wrench folding tool contents: open wrench 8-17 mm, hex 4/5/6mm, T25/PH2/flat 5

TW-04T
Torque Screwdriver 2-8 Nm with 12 pcs 1/4" 25 mm bits: hex 2/2.5/3/4/5/6 mm/flat 5/PH2/T10/20/25/30 ±6% accuracy(CW)

FD-0417P
Allround folding tool with tube repair set sizes: hex5/6mm /flat 5/PH2, knife, chain tool, file, tube repair, CO2 valve, spoke wrench13/14/15/16G/ T30 (Mavic), bottle opener, Storage place for rubber sticker and quick link

TW-07
1/4" DR EP screen adjustable torque wrench(5-25 NM)

BB-50
50-functions bike repair tool kit

FF-02KIT
multi-tools with classic patch repair kit: 2 round + 4 oval + 1 tire boot + 1 rubber adhesive

TW-01A3
1/4" DR adjustable torque wrench (5-25 NM)

ADT-01
12-PC T-bit set

TW-06A81
1/4" DR adjustable torque wrench (2-14 NM) W/CP, blow molded case, ±4% accuracy.

TOOLS

SYNPOWELL

U-POWER COLLECTION ENTERPRISE CO., LTD.

No. 39, Lane 219, ShiHoo Rd., Tali Dist, Taichung City, Taiwan 41263

TEL: +886-4-2491-5378 FAX: +886-4-2496-2314

E-mail: syn.powell@msa.hinet.net http://www.synpowell.com.tw

RC-188

5in1

Cable Cutter+Master Link
5 in 1 Tool

- SK5 industrial steel for hardened and durability.
- The cutting jaws is sharp and strong for a clean cut on bicycle cables
- Advanced tool for both open and close the chain master link

Euipo No.:004543684-0001
PAT:M553683

Features

1. Cable cutter
2. Chain Quick Link switch
3. Cable reaming
4. Spare master link
5. Inner cap clamp

BikeTool
瑞 城 工 業 有 限 公 司
RAY CHENG INDUSTRY. CO., LTD
Tel：+886-47-579674
Fax：+886-47-579295
E-Mail：lin.ably@msa.hinet.net
No.41, Ln. 9, Xiudong Rd., Hemei Township,
Changhua County 508, Taiwan
www.raycheng-tools.com

Be more convenient your bike

Window scale disply
Easy to See & Use

Patent
1.Fast torque lock design
2.Shockproof & shockdrop

RC-Q580

Torque wrench won't be danaged and displaced its inside parts when it was collided

- 1/4"scale window type Torque wrench set
- Bit socket: Hex /6/8/10 mm Torx20/25/30 and Hex 5mm-L:100mm and Hex4mm-L:75mm
- RC-Q580 design for set up the torque value securely by tighten the bottom screw.
- Display Range: 2-24 Nm
- Tool length : 220 mm
- Ergonomically shaped and TPR plastic handle grip.

PAT:M524242

www.raycheng-tools.com

BIKE HAND
昱州興業股份有限公司
YE CHOU INDUSTRY CO., LTD.
No. 44, Lane 8, Sec. 1, Chang Mei Rd.,
Changhua City 500, Taiwan.
Tel: 886-4-7282177 Fax: 886-4-7225763
E-mail: yechou@ms29.hinet.net
http://www.bikehand.com

Patent

Model YC-335CO-S
Mini Master Link tool
Multipurpose master link tool for both open and close. For 8-11 speeds chain. With tiny magnets can attach the spare master link. Small but remains strong design for travel use

NEW

Model YC-635
1/4" torque wrench set
3-15 NM ,
3/4/5/6/8/10mm/T20/T25/T30/4mm-L/5mm-L

YC-100-1A-MG Magnetic Tool Tray

Pat. 264193

Model YC-100BH
Bicycle Repair Stand
Aluminum.
360 Head Rotated,
Height Quickly Adjusted.
Box: 1 Pc/5kgs, 6kgs/1.3'

NEW

Model YC-200BH
Professional Bicycle Repair Stand, tripod extension
Aluminum. Height adjustable. For the bikes without clamping the frame and seat post. 360° horizontal rotation and holds the bikes securely by the front mounted quick release. With strap for secure the Bottom Bracket. Foldable design for storage. It can use with tool tray. (YC-100-1A)

NEW

Model YC-91
Front wheel display stand
Keep the front wheel in position and need to work with the rear display stand.

Model YC-637+Bits
Essential torque wrench kit
1/4" driver, range : 2-10NM
Bits: 2/2.5/3/4/5/6/8mm/PH2/T10/T25

NEW

Model YC-33BB
Counter-ring opener for Bosch active and performace line
Model YC-34BB
Counter-ring opener for Bosch classic line
Model YC-38BB
Counter-ring opener for Bosch classic and active line
2 in 1wrench, for both Bosch system

Model YC-799AB
BIKE HAND Professional Mechanic Tool Kit.
For SHIMANO USE

Updated

Model YC-758
BIKE HAND Advanced Mechanic Tool Kit,
For SHIMANO USE

YC-96FB

Patent

YC-96L

Patent

Model YC-96FB
Universal Bicycle Lever Storage Stand
For most of bicycles use from 26"-29", maximum tire wide 5" It's foldable.

Model YC-96L,
Bicycle Lever Storage Stand , floor mount
Mount the stand on suitable surface for bike storage from 20mm wide tire to 2.5" wide tires in sizes 26"-29" wheels

Patent

Model YC-396
Ultimate Chain Rivet Extractor
This is BIKE HAND new chain tool for all chains, includings Shimano & Campagnolo 11 speeds. It combines with master link tool both open and close. With long thread which provides strong power. Excellent design and easy operation.

Model YC-521
Chain holder
It can replace freewheel for bike repair or chain clean. Work with all derailleur and chain. Insert into the rear dropouts and tighten the quick release.

Model YC-261
Folding tool
3/4/5/6/8mm/flat/Phillips screwdriver , speculum plating, aluminum CP case

Model YC-261-BK
Folding tool
3/4/5/6/8mm/flat/Phillips screwdriver ,speculum plating, aluminum black case

Patent

Model YC-304BB
4 sizes Bottom Bracket Wrench
For Shimano Hollowtech II, BBR60, BB9000, FSA MegaEvo

Model YC-307BB
3 sizes Bottom Bracket Wrench
It designed for the installation and removal of Shimano Hollowtech II external BB, BB-9000 and BBR60

Model YC-501AL
Freewheel Turner
With extra long round handle for better operation. It can use for 7-11 speeds chain.
Length : 353mm Black color

Model YC-126-2AL
Freewheel Remover
For Shimano cassette lock ring with extra long round handle for better torque. Length : 356mm Black color

Model YC-26BB-2ALP
Cartridge Bottom Bracket Wrench
For use with Shimano cartridge B.B. With extra long round handle for better torque and insert the screw nut for security

Model YC-818
4 Sizes Wrench
5/6/8/10mm, long grip handle.
Length: 300mm

Patent

Model YC-335CO
Multipurpose Master Link Tool
Advanced tool for both open and close the master link. For 8,9,10,11 speeds.

Patent

Model YC-335ST
Multipurpose Master Link Tool
It's a compact and portable design for close and open the master link.
It connects with tire lever as handle extension.

Model YC-160-10
Pedal wrench
15mm pedal wrench, 14/15mm socket wrench and 10mm hex key wrench

Model YC-126-2A
Freewheel Remover
For use with Shimano HG cassette
Hardened Steel

Model YC-160
Pedal Wrench
15mm pedal wrench and 6/8mm hex key wrench

Model YC-501A
Freewheel Turner
Length: 305mm
PE: 50/pcs/15kgs, 16kgs/0.3'

Model YC-27BB
Bottom Bracket Wrench for Shimano
Hollowtech II B.B
PE: 50 pcs/11kgs, 12kgs/0.5'

Model YC-27
Dust Cap Wrench.

Model YC-27ST
Dust cap tool

Patent

Model YC-126-5A
Freewheel Repair Set
It's a 2 in 1 freewheel tool set for installation and removal, for Shimano 7-11 speeds freewheel.

Model YC-147A
Ratchet Wrench and Torque Wrench Kit

Model YC-147B
Ratchet Wrench and Tire Lever Kit

Model YC-748
Advanced Mechanic Tool Kit
Box: 1 set/6kgs, 7kgs/0.9'

Model YC-512NB
Wheel Truing Stand
For wheel from 16" – 29".
Designed for easily wheel truing

NEW

Model YC-512N-CG
Center Gauge for YC-512NB
For reset the center of the wheel truing stand

Model YC-116
Bicycle Repair Stand
Wall Mount,
360° Rotated Head.

Model YC-115
Bicycle Repair Stand
Workbench Mount,
360° Rotated Head.

Model YC-116AB
Bicycle repair stand
360 Rotated head
With both workbench and wall mount functions

YC-146

YC-147BP

YC-147

Model YC-146
Ratchet Wrench Kit
Model YC-147BP
Ratchet Wrench and Chain tool Kit
Model YC-147
Ratchet Wrench and Chain tool Kit

Model YC-31BB
Bottom Bracket Tool
For Shimano BBR60

Model YC-32BB
Bottom Bracket Tool
For Shimano BB9000

Patent

Model YC-636
Torque wrench kit
BIKE HAND new design torque wrench features easy operation and portable.
It designed for checking and tightening the bolts on frame and components at the safe value.
1/4'' driver, Range: 2-10NM Bits :
2/2.5/3/4/5/6/8mm/Phillips/T10/T25

Patent

Model YC-617-2ST
Torque Wrench Set
1/4" Torque set, 2-24NM
3/4/5/6/8/10mm/T20/T25/T30/4 mm-L/5mm-L
It's an updated design for set up the toque value securely by tighten the bottom screw.
Box: 20 sets/14kgs, 15kgs/0.8'

Patent

Model YC-617-2S
1/4" Torque Wrench Set, 2-24 NM
Sockets: 3/4/5/6/8/10MM and T20 / T25/ T30, 5mm-L
Box: 20 sets/14kgs, 15kgs/0.8'

Model YC-617WD-2
1/4'' Torque Wrench Set
1-25NM
3/4/5/6/8/10mm/T15/T20/T25/T27 /T30/T40/PH2/PH3
1/4''socket extension /5mmL

Model YC-98
Dual-Touch Bicycle Stand
Aluminum
Height adjusted quickly
Foldable designed
It can hold up to 4 bikes
(2 cradle hooks included)
Box: 1 pcs/6kgs, 7kgs/1.6'

Patent

Model YC-109AF
Foldable Bicycle Stand
Adjustable height for different size of bikes from 20''-29'', foldable design for space and transportation

Pat M298556

Model YC-109H
Bicycle Stand for 29"

Model YC-109
Bicycle Stand

Patent

YC-109A
Bicycle Stand
Adjustable height to fit different size from 26" to 29" wheels and road bikes

Model YC-735ABB
Advanced Tool Kit

Updated

Model YC-721
BIKE HAND Professional Tool Kit for Shimano use

For SHIMANO USE
Model YC-728
"Bike Hand" Box Tool Kit
PE: 5sets/14kgs, 15kgs/1'

Patent.

Model YC-99
Floor To Ceiling Bicycle Stand (330cm)
Aluminum
Height adjusted quickly
It can hold up to 4 bikes
(2 cradle hooks included)
YC-99-400 (400cm)
Box: 1 pc/6kgs, 7kgs/1.6'