SECTION .6

Characteristics of FTX

- Intuitive and bionic
- Immediate response, no idle angular travel
- Natural start up, climb and accelerate (even at high speed)
- Reliable power cut-off when intended
- Freedom of bike design – maintain your own style
- Flexible components – battery, motor, display
- In-tube battery allows cleaner design.

TAIWAN HODAKA INDUSTRIAL CO., LTD.

4F., No.100, Chang An E. Rd., Sec. 2, Taipei 10491, Taiwan.
Tel:886-2-25052301 Fax:886-2-25013598
E-mail:allen.huang@mail.hodaka.com.tw
http://www.hodaka.com.tw

Steep climbs and rowdy descents. Fast and flowy, or tight and technical. With a SyncDrive Pro motor that delivers 80Nm of seamless pedaling power, plus the smooth control of Maestro suspension, the all-new Trance E+ gives you the power and freedom to enjoy every minute, on every type of trail.

Learn more at giant-bicycles.com/trance-e

GIANT®

OUR NEW INNOVATION OF ELECTRIC BICYCLES;

Elegant design, Lightweight, Easy operation.

PLEASE CONTACT US FOR MORE VARIETY AND SELECTIONS.

ACECYCLES

ACETRIKES INDUSTRIAL CO.,LTD.

ACETRIKES BICYCLES (TAICANG) CO., LTD.
見誠自行車(太倉)有限公司-CHINA
TEL: 86-512-53452188 FAX: 86-512-53456215
E-mail: kenwu@acebike.com.cn
jenny@acebike.com.cn

ACETRIKES INDUSTRIAL CO., LTD.
見誠工業股份有限公司-TAIWAN
TEL: 886-4-8858121 FAX: 886-4-8851345
E-mail: albertyang@acebike.com.tw
joanwu@acebike.com.tw

AWARD WINNING ENDURO E-BIKE
eONE-SIXTY
MORE BIKE. MORE FUN.
MERIDA
美利達自行車

KINLIN

KEYMET®
SUPER ALLOY SERIES

Full series by T10
manufacture process.

Have you equipped T10?

KINLIN INDUSTRIAL CORPORATION

TEL: 886-7-7882211 FAX: 886-7-7884716
E-mail: kl.rim@msa.hinet.net
http://www.kinlin.com.tw

E-MTB

S-ELITE

D162SB-SL-B12

WEIGHT SRAM 425G
SEALED BEARING 2
SPOKE HOLES 28/32
O.L.D 148MM
AXLE 12MM
P.C.D 58/58MM
F.T.F 62.7MM
OFFSET 7.5MM
PAWLS 5

DIABLO XL

27.5" / 29"

- 30MM INNER WIDTH
- ENDURO PLUS 35MM WIDTH
- TUBELESS READY MICROPEENED RIM PROFILE
- HEAT CURED GRAPHICS ARE LIGHT &CAN WITHSTAND HARD OFF ROAD ABUSE

S-PRO

D932SB-B12

WEIGHT 552g
SEALED BEARING 4
SPOKE HOLES 32
O.L.D 148MM
AXLE 12MM
P.C.D 62/62MM
F.T.F 61.6MM
OFFSET 7.7MM
PAWLS 6X6

NOVATEC

WWW.NOVATECWHEELS.COM

NOVATEC WHEELS TAIWAN (HQ)
No.9, Ln. 462, Sec. 4, Changping Rd., Daya Dist., Taichung City 428, Taiwan
TEL : +886 4 2566 8888 FAX : +886 4 2566 1185
E-MAIL : SERVICE@NOVATECWHEELS.COM.TW

凱薩克科技股份有限公司
KIND SHOCK HI-TECH CO., LTD.
NO.72,KUNG MING SOUTH 1st ROAD
AN-NAN DISTRICT TAINAN CITY
TAIWAN
台南市安南區工明南一路72號
電話(TEL): 886-6-2568575
傳真(FAX): 886-6-2567293
kssale@kindshockglobal.com

東莞元渝機械有限公司
DONGGUAN YENYUE MACHINERY CO.,LTD.
NO.62 KIRIN RIDGE ROAD, SHAHU VILLAGE,
TANGXIA TOWN, DONGGUAN CITY
東莞市塘夏鎮沙湖村麒麟岭路62號
電話(TEL): 86-769-86852366
傳真(FAX): 86-769-86852388
yueyen@kindshock.com.cn

凱薩克機械(太倉)有限公司
KINDSHOCK INDUSTRIES (TAICANG)CO., LTD.
LIENDA INDUSTRY COMMUNITY, LUDU TOWN
TAICANG CITY, JIANGSN PROVINCE
江蘇省太倉市陸渡鎮飛滬北路聯達工業區內
電話(TEL): 0512-53456575/6
傳真(FAX): 0512-53456577
kindshock@21cn.com

EXA FORM
翼炫風

EXA-FORM.COM

STANCE MGX | STANCE MGV | STANCE ALV | VALOR-RL | VALOR-LO | TRAVERSE-LO

MODEL	WHEEL SIZE	TRAVEL	DROPOUT	LOWER LEG MATERIAL	STANCHION MATERIAL	STEERER MATERIAL	PRELOAD	REBOUND	LOCKOUT	REMOTE LOCKOUT
STANCE MGX	27.5”	100/120mm	9	MAGNESIUM	ALUMINUM	STEEL	STEEL	OPTIONAL	YES	OPTIONAL
STANCE MGV		80/100/120mm			STEEL					
STANCE ALV				ALUMINUM						
VALOR-RL	26”	80/100mm						NO		YES
VALOR-LO										NO
TRAVERSE-LO	700C	50/65mm								

M1-FC4 | M1-FC5 | M1-FC6 | M1-FC7 | M1-FA11 | S4-FA8

MODEL	USE	WHEEL SIZE	SPRING TYPE	TRAVEL	DAMPER	BRAKE MOUNT	BLADE MATERIAL	STEERER MATERIAL	COLOR	WEIGHT	PATENTS
M1-FC4	ROAD	700C	INTERNAL COIL	15mm	FRICTION	CALIPER	CARBON FIBER	6066/G609 ALLOY	BLACK/WHITE/ CUSTOM	723g	TAIWAN/ CHINA
M1-FC5	CYCLO-CROSS					POST-TYPE				793g	
M1-FC6	ROAD									769g	
M1-FC7	CYCLO-CROSS									1013g	
M1-FA11						V/IS/ CALIPER	6066 ALLOY			1047g	
S4-FA8	CITY BIKE/ TREKKING	20”/24”/26”/28”/700C		28mm		V/IS/ROLLER/ CALIPER	6061 ALLOY	11A		1410g	N/A

NEW

LCS-7718

AM/TRAIL

Material	Alloy 6061 T6
Process	Forged
Extension	35 mm
Steerer	28.6 mm
Barbore	35.0 / 31.8 mm
Angle	0°
Height	40 mm
Weight	119g

LCS-7195

AM/TRAIL

Material	Alloy 6061 T6
Process	3D Forged
Extension	40/50/60/70/80 mm
Steerer	28.6 mm
Barbore	35.0 / 31.8 mm
Angle	5°
Height	40 mm
Weight	115g (31.8*40 mm)

LCS-7156

ROAD

Material	Alloy 6061 T6
Process	3D Forged
Extension	80/90/100/120/130 mm
Steerer	28.6 mm
Barbore	31.8 mm
Angle	-6°
Height	40 mm
Weight	119g (90 mm)

LCH-6068

ROAD

Material	Alloy 6061PG / 6061DB
Width	400 / 420 / 440 / 460 mm
Barbore	31.8 mm
Drop	120 mm
Reach	70 mm

LCH-6060

ROAD

Material	Hydroform
Width	400 / 420 / 440 mm
Barbore	31.8 mm
Drop	120 mm
Reach	70 mm

LEADTEC CO., LTD.

27, Fukon Rd., Fushing Ind. Zone, Changhua County, 506, Taiwan
TEL:+886-4-7691125
FAX:+886-4-7697206
leadtec-sales@umail.hinet.net

E-Bike components

EUROBIKE
WINNER
AWARD 2017

PROMAX
050

SP-264TLA

Seatpost integrated with tail light & license plate mount

DSK-922T

Sensor-type 4-piston hydraulic disc brake set for E-BIKE
Ambidextrous lever for both right and left hand sides

DA-230

Stem with face plate integrated with light mount

PROMAX
promaxcomponents.com

POLYGON
UR
PROMAX

PROMAX
USA CYCLING
Troy Lee Design

11
FLY
RACING
PROMAX

TOOLZ FOR THE PEOPLE IceToolz®



E122
Axle Vise
- Hold a variety of axles
- Prevent turning when making adjustments to the wheel's hub
- Magnets to hold jaws solid in place
- Suitable for 5,9,10,12,14,20,25,30, 36mm axles

E147 *new*
Headset Cup / BB Cup Press Tool
- For 1", 1-1/8", 1-1/4", and 1-1/2"
- For head tube length up to 260mm
- Patented

E294
Press-fit Bearing Removal Tool
- For internal diameter 35mm ~ 46mm bottom bracket bearings

Innovation Award

E325
Pupa Seat Tube Gauge
- Takes the hassle out of finding the right seat post
- Measures from Ø25.0 ~ Ø31.8mm
- Patented

E383
Digital Spoke Tension Meter
- For rim size 18" and up
- With Japanese Mitutoyo digital meter
- Scales to 0.01mm



Innovation Award

E219
Ocarina Torque Wrench Set
- Operating range : 3 ~ 10N·m
- Its lightweight and smart design is ideal for all mechanics and riders
- Tightens to the correct torque easily, no need to set up the tool between various torque
- The ergonomic handle holds 3/4/5/6mm hex keys and T-25 in one tool
- Contents : 3/4/5/6mm hex keys and T-25
- Patented

E139
SuperLifter Repair Stand
- E-bike compatible up to 60kg
- Rotatable rubber clamp for Ø25.4mm ~ Ø55mm
- Adjustable height from 60cm to 190cm (23.6"~74.8")
- 1 turn on the handle = 10cm in height
- Integrated wheels for better indoor and outdoor maneuver
- Large base to support the bike firmly to the top
- Includes integrated work tray
- Patented

e-mail: contact@icetoolz.com

Third party product names used herein are used to identify such products and are for descriptive purposes only. Such names may be marks and/or registered marks of their respective owners.

04S1

Crank Tool with Ergonomic Handle

- Contains 14x15mm sockets & 8mm hex key for crank bolt and crank arm removal
- Interchangeable adaptor fits both square & hollow axles
- Patented



04T1

Crank Arm/Cap Installation Tool

- For Shimano Hollowtech II

11R3

Bearing Cup Press Tool

- For BB30, BB86, BB92, BB386, SRAM GXP Press BB
- Patented

w/o quick release

30C1

ChainMaster

- For rear chain stay, dropout, and derailleur protection when you travel
- Adjustable to fit different length of axles (130, 135, 160, 160, and 165mm)
- Patented



1/2" Drive

M093

BB Installation Tool

- For Shimano BBR60 BB
- Use with 1/2" Two-way Ratchet Wrench (#53R4)

M095

BB Installation Tool

- For Shimano SM-BB93 (SM-BB9000) BB
- Use with 1/2" Two-way Ratchet Wrench (#53R4)

M097

12-Tooth BB Installation Tool

- For Hawk Racing BB3086, RaceFace Cinch, Rotor BSA30, Zipp Vuma and other external bottom bracket system
- Use with 1/2" Two-way Ratchet Wrench (#53R4)

M801 *new*

BOSCH Lockring Tool

- Compatible for Bosch Active / Performance Line
- Use with 1/2" Two-way Ratchet Wrench (#53R4)

53Y3

Piranha Freewheel Turner with Chain Whip (1/2" x 3/32")

- Compatible for multi-speed
- With chain whip 1/2" x 3/32"
- Innovative design for one hand operation
- Easy to grab the sprocket with the chain
- Ergonomic handle for better grip

53Y8 *new*

Belt Drive Sprocket Holder

- For holding a belt drive rear sprocket to remove the nut or lockring
- Innovative design for one hand operation
- Ergonomic handle for better grip

53R4 *new*

1/2" Two-way Ratchet Wrench

- With quick release function
- Extra long 370mm / 14.5" handle provides a higher force

33P5

15mm & 9/16" Pedal Wrench

- Material : Cr-Mo Steel

33S1

15mm Pedal Wrench

- Off-set design
- Ergonomic handle with long anti-slip grip
- Material : Cr-Mo Steel

09C2 *new*

Cassette Lockring Tool with 12mm Guide Pin

- For utilizes a 12mm guide pin to stabilize the tool for the through-axle hubs
- For Shimano CS, SRAM, SunRace, Chris King compatible cassettes and Shimano Center Lock disc brakes
- The guide pin prevents the tool from slipping out of the spline of the cassette lockring
- Use with 1/2" Two-way Ratchet Wrench (#53R4) or 21mm spanner

www.icetoolz.com

TOOLZ FOR THE PEOPLE IceToolz®

54R2
Bleed Kit
- Universal design for all hydraulic disc brake systems
- Compatible with AVID, FORMULA, HAYES, HOPE, MAGURA, and Shimano
- Suitable to use with Mineral and DOT oil
- With one pair of NBR Gloves (#17G3)
- New syringes with adaptor to fix on the syringe & PU tubes tightly
- With a releasable cable tie which can fix the PU tubes onto the calipers
- With two pieces tubing clips to on/off the flow of syringes



55B1
Croco Brake Shoe Tuner
- Align rim brake pads easier and faster
- Adjustable to various rim width 15mm ~ 40mm and the rim max depth at 60mm
- Patented

54P3 *new*
Needle Driver
- The needle driver is designed for inserting hydraulic needle joints in to hose with perfect alignment
- This tool prevents damages when insert the soft brass fittings in a hydraulic cable
- It is a handy tool when installing or mending the workings of your bike brakes and hydraulic hoses

16B1
Tube-end Chamfering Tool
- For easy deburring sawed-off tubes
- Suitable for any bycicle tube diameters
- With the tool you can deburr both, inside diameter and outside diameter
- Patented

16H3
Professional Hack Saw
- Contains carbide grit blade, especially for carbon fiber tubes
- It's also adjustable to 45 degree

54B1
Disc Brake Piston and Pad Alignment Tool
- Reposition pistons or help align disc pads
- With ergonomically designed handle for comfortable grip
- Easy to use

61M1 *new*
Portable Chain Tool
- Perfect for 5, 6, 7, 8, 9, 10, 11 and 12-speed chains
- For Shimano compatible HG/UG/IG chains
- The thumb-lid isolates the finger from the greasy chain while locates the chain at the right position
- With chain hook to hook the chains when installing the chains
- With chain connectors case
- Flat to put in pocket
- Patented

62M1 *new*
Pro Shop Chain Tool for Shimano Chains
- Perfect for 5, 6, 7, 8, 9, 10, 11 and 12-speed chains
- For Shimano compatible HG/UG/IG chains
- The thumb-lid isolates the finger from the greasy chain while locates the chain at the right position
- Connecting rivet pilot pin breaker included
- Patented

29M1 *new*
Shimano Compatible Chain Tool
- Perfect for 5, 6, 7, 8, 9, 10, 11 and 12-speed chains
- For Shimano compatible HG/UG/IG chains



7M85
TwinHead Wrench Set
- 2x2.5x3x4x5x6x8mm hex key wrenches (ball-ended)
- T-25 star wrench
- With ball-ended design which can be used effectively at up a 30 degree angle
- Exceed ANSI and DIN standards
- Set also comes with a stand that can easily be mounted to a bench or wall
- Material : SNCM Steel

e-mail: contact@icetoolz.com





12F8

Forged 8-groove Spoke Wrench

- For 10~15 gauge nipples
- With spokes holder for more efficient wheel building
- Patented



64A2

Pincers Duo-functional Tire Tool

- Transformable from a traditional tire lever to a new U shaped design for easier tire mounting
- Material : Nylon filled fiberglass

67A5

Pro Shop Cable & Spoke Cutter

- For Shimano SIS SP
- Contains inner wire (Max. Ø3.5mm) and outer casing (Max. Ø7.0mm) reconditioner
- Patented

91B5

Urban-8 Multi Tool

- Rustproofed stainless steel multi tool
- 3x4x5x6x8mm hex keys
- +/– screwdrivers
- T-25 star wrench
- Sturdy, corrosion-resistant stainless steel construction
- Best multi tool for outdoor

C161 *new*

Dry Lubricant

- Well-performed in dust, gravel, and dirt environment
- In dry condition, remains bicycle chains, chain wheels, and derailleur well-functioned in various speed
- It does not stick dust and reduce the wear of parts
- Excellent lubrication can also be maintained at high speeds
- Not recommended for using in wet condition (use #C141 for this application)
- Volume : 4oz. / 120ml.

C181 *new*

Bike Wash

- The environment friendly degreaser offers a quick and effective way to clean bikes and remains new
- Excellent degreasing ability
- Non-corrosive protects your bikes
- Concentrated defreaser
- Ratio of bike wash to water 1:3
- Volume : 4oz. / 120ml.

C212

Chain Scrubber and Chain Degreaser Combo set

#C115 Chain Scrubber

- 20 total brushes with exclusive 4-sided scrubber system clean chain spotlessly
- Rubber band added to allows it to hang on the seat stay by itself, without the need of holding the chain scrubber with your own hand
- This provides more efficiency while cleaning
- Contains one spare sponge
- Patented

#C133 Chain Degreaser

- Water based degreaser is better for the environment and cleaning your chains
- New formula offers a quick and effective way to clean chains and remains new
- Excellent degreasing ability
- Non-corrosive protects your bikes and skin
- It's recommended to use with #C115 Chain Scrubber
- Ratio of bike wash to water 1:3
- Volume : 4oz. / 120ml.

C272

Anti-wear Copper Grease and Grease Gun Combo Set

- Protects metal against corrosion, heat, and water
- Ideally for hubs, screws, nuts, bolts, bearings, and BBs
- Highly lubricating even with small amount
- Temperature range : -25℃ ~ 200℃

- #C172 Anti-wear Copper Grease
  - Volume: 4oz. / 120ml.
  - Contains : Copper, Graphite, Silicon

P412

Event and Display Stand

- Holds up to 12 bikes by the saddle
- Expandable to meet any event and or shop needs
- Add the rubber stripe at the top of stand to protect the saddle rail
- With a quick release functions, making it easy to assemble or disassemble
- Includes a carry bag and mesh pockets on each side
- Maximum load : 100kg
- Need the extension kit, please refer to #P411S

P646

Rear Axle Bike Stand

- Up to 29"
- Maximum load : 25kg
- Patented

www.icetoolz.com

TOOLZ FOR THE PEOPLE IceToolz®

82A8

Ultimate Tool Kit

- #04C2 : Crank Remover
- #09C5 : Freewheel / Cassette Lockring Tool
- #33S1 : 15mm Pedal Wrench
- #35V8 : 8mm Hex Key Wrench
- #25H6 : 6" Adjustable Forged Wrench
- #28P1 : #1 Phillips Screwdriver
- #28S3 : 3mm Flat Blade Screwdriver
- #53S3 : Freewheel Turner (Chain Whip, 1/2" x 3/32")
- #29M1 : Shimano Compatible Chain Tool (5x6x7x8x9x10x11x12-speed)
- #56E6 : Glueless Patch Set AirDam, 6 Pieces
- #97T1 : T-9x10x15x20x25x27x30x40 Star Key Wrenches
- #12F8 : 10-15G Forged 8-groove Spoke Tool
- #11F3 : Shimano Hollowtech II Compatible BB Tool
- #64P3 : Tire Lever Set, Set of 3 Pieces
- #39H4 : 9x10mm Open-ended Spanner
- #97Y1 : 2x2.5x3x4x5x6mm Hex Key Wrenches

82F4

Essence Tool Kit

- #04C2 : Crank Remover
- #64P3 : Tire Lever Set, Set of 3 Pieces
- #25H6 : 6" Forged Adjustable Wrench
- #39H4 : 9x10mm Open-ended Wrench
- #35V8 : 8mm Hex Key Wrench
- #29M1 : Shimano Compatible Chain Tool (5x6x7x8x9x10x11x12-speed)
- #D8D4 : Connecting Tool (from 8mm changing to 1/2")
- #09C1 : Cassette Lockring Tool with Guide Pin
- #36Q1 : 2/2.5/3/4/5/6 Hex Key Wrench, 4x5x6mm Ball-end
- #28P1 : #1 Philips Screwdriver
- #28S3 : 3mm Flat Blade Screwdriver
- #34S4 : Lockring Tool, Freewheel Turner, and 15mm Pedal Wrench
- #11F3 : Shimano Hollowtech II Compatible BB Tool
- #12F8 : 10-15G Forged 8-groove Spoke Tool
- #35T25 : T-25 Torx Wrench, 20x100mmL
- #11B1 : Shimano / ISIS Drive BB Tool

84S2 *new*

Starter Tool-Roll

- Keep your cycling accessories organized and accommodate in the Starter Tool-Roll
- The simple, versatile design allows you to stow all sorts of tools
- Durable polyester storage roll
- Simple roll-up design carries essential ride necessities
- Contains :
  - #28S3 : 3mm flat blade screwdriver with magnetic tip
  - #28P1 : #1 Philips screwdriver with magnetic tip
  - #29M1 : Shimano compatible chain tool (5x6x7x8x9x10x11x12-speed)
  - #36Q1 : 2/2.5/3/4/5/6 hex key wrench, 4x5x6mm ball-ended
  - #65A1 : Tire puncture repair kit (18 patches, 3 tire levers, 10ml adhesive, 8cm valve hose, A sandpaper)
  - #C123 : Sprocket cleaning brush (up to 10-speed for aggressive cleaning)

85A5

Advanced Mechanic Tool Kit

- Carry Case
- WD-40 (1.5oz/51ml)
- #11B1 : Shimano / ISIS Drive BB Tool
- #09C1 : Cassette Lockring Tool with Guide Pin
- #M091 : BB Installation Tool for Shimano Hollowtech II
- #C121 : Two-way Brush
- #12F8 : 10-15G Forged 8-groove Spoke Tool
- #17M3 : Tape Measure, Up to 3M / 10FT
- #04C2 : Crank Remover
- #3TA1 : Star Key Wrench (T-10x15x20x25x27x30x40x45x50)
- #36Q9 : Hex Key Wrench Set w/Ball-ended (1.5x2x2.5x3x4x5x6x8x10mm)
- #67B4 : Cable Cutter
- #25H6 : 6" Forged Adjustable Wrench
- #47X7 : 13x14x15x16x17x18x19mm Cone Wrench Set
- #33F5 : 15mm Pedal Wrench
- #62M1 : Pro Shop Chain Tool (for 5x6x7x8x9x10x11x12-speed)
- #28P1 : #1 Philips Screwdriver
- #28S3 : 3mm Flat Blade Screwdriver
- #64P3 : Tire Lever Set, Set of 3 Pieces
- #53A2 : Multi-speed Freewheel Turner (Chain Whip, 1/2" x 3/32")
- #53R4 : 1/2" Two-way Ratchet Wrench

85A7

Pro Shop Mechanic Tool Kit

- Carry Case
- WD-40 (1.5oz/51ml)
- #C153 : Pro Shop Apron
- #53R4 : 1/2" Two-way Ratchet Wrench
- #33S1 : 15mm Pedal Wrench
- #53S3 : Multi-speed Freewheel Turner (Chain Whip, 1/2" x 3/32")
- #C121 : Two-way Brush
- #0502 : 13x15+14x16mm Cone Wrench Set, 2 Pieces
- #62M1 : Pro Shop Chain Tool (for 5x6x7x8x9x10x11x12-speed)
- #04C2 : Crank Remover
- #09C1 : Cassette Lockring Tool with Guide Pin
- #12F8 : 10-15G Forged 8-groove Spoke Tool
- #56E6 : Glueless Patch Set AirDam, 6 Pieces
- #M091 : BB Installation Tool for Shimano Hollowtech II
- #30C1 : ChainMaster
- #67B4 : Cable Cutter
- #97T1 : "Star-8" T-9x10x15x20x25x27x30x40 Star Keys
- #97A3 : "Mighty-9" 1.5x2x2.5x3x4x5x6mm Hex Keys, +/– Screwdrivers
- #25H6 : 6" Forged Adjustable Wrench
- #35V8 : 8mm Hex Key Wrench
- #64P3 : POM Tyre Levers, Set of 3 Pieces
- #28P1 : #1 Philips Screwdriver
- #28S3 : 3mm Flat Blade Screwdriver
- #27P3 : Professional Tool for Chainwheel Bolt Installation

e-mail: contact@icetoolz.com

JOOU-LIX INDUSTRIAL CO.,LTD.

No.1-26, Yixing St., Xiushui Township, Changhua County 504, Taiwan
Tel : 886-4-7631668~9 Fax : 886-4-7633458
E-mail : ulix@ms18.hinet.net , ulix.vincent@gmail.com

Steel Foot Rest

UL-K1

Making together Kids Bike Seats

Interactive - Front mounted design puts the child up front in the middle of all the action.
Safe - Driver can see the child & the road, center location means better handling.
Simple - Quick-Release Installation & Removal, Easy to store and pack, lightweight.
Universal Fit - Every bike has a seat post, clamp fits all standard seat posts
Age - From 2 years to 5 years
Weight limit - 22kgs

New

JOOU-LIX Model:UL-Q3

1. Most reliable quick-release installed kickstand
2. Can be installed with the original quick- release of bike
3. No scratch or damage on the coating of frame
4. Length adjustable and fit to 24" – 700C or 26" – 29" bike

New

PAT.

JOOU-LIX Model:UL-Q6 700C

1.Easy to use:Install in less than 1 minute
2.Light:Head 13 grams and tube 54 grams
3.Durable:6061 aluminum and 304 stainless ball
4.Compact:Can be folded to a small piece.

Pillar Racing Spoke

Richman -SR Series

SHA DAR ACCESSORIES CO., LTD

No.4-2 Lane 20, Pae-Nae St., Shu Lin Dist., New Taipei City 23849, Taiwan
TEL: + 886 2 2686 8277 FAX: + 886 2 2681 5966 e-mail: sales@pillarspoke.com

TECHNOLOGY

PSR+ | NyLock | BUTTED | Bladed | MEGALITE+ | X-TRALITE | TF SPOKE | TG | T302+ | M-power | Wing | 3D FORCE | TPS SPOKE | TAP NIPPLE | SC Ti COLOUR PC AC

Colour Series

Powder Coating [For Any Material]

Anodize Colour [For Alloy Nipple]

Ceramic Nanometer Ti Plating
[For Stainless Steel]

Nipple Series

External Nipple

Type:PB14 / PT734

Type:PB14H / PT734H

Type:MV / HS

TG Nipple

Type:DSN

Type:TG Brass / TG Alloy

Internal Nipple [Hidden]

Type:Hex 10

Type:5R

Tools / Accessories

■ Aero Spoke Holder

■ Spoke Wrench

■ Spoke Tension Meter

■ Tps Tool

■ Spoke Box

■ Hand Tool

■ Washer

Type:PW6035 Type:PW7048

■ Ruler



		A (mm)	B (mm)	C (mm)	D (mm)	weight (260mm)
PLAIN GAUGE SPOKE	P 13	2.3	2.3	2.3	2.3	8.5 g
	P 14	2.0	2.0	2.0	2.0	6.5 g
	P 15	1.8	1.8	1.8	1.8	5.5 g
	* PSR 13	2.5	2.3	2.3	2.3	8.5 g
	* PSR 14	2.2	2.0	2.0	2.0	6.5 g
	* PSR 15	2.0	1.8	1.8	1.8	5.5 g
BUTTED SPOKE	PSB 34	2.3	2.3	2.0	2.0	6.8 g
	PSB 45	2.0	2.0	1.8	1.8	5.6 g
	PDB 1415	2.0	2.0	1.8	2.0	5.7 g
	PDB 1416	2.0	2.0	1.6	2.0	4.7 g
	PDB 1417	2.0	2.0	1.5	2.0	4.3 g
	PTB 380	2.3	2.3	1.8	2.0	6.3 g
	PTB 270	2.2	2.2	1.7	2.0	5.3 g
	* PSR TB 2018	2.2	2.0	1.8	2.0	5.7 g
	* PSR TB 2017	2.2	2.0	1.7	2.0	5.2 g
	* PSR TB 2016	2.2	2.0	1.6	2.0	4.7 g
	* PSR TB 2015	2.2	2.0	1.5	2.0	4.3 g
	PSR QB 5380	2.5	2.3	1.8	2.0	6.3 g
	PSR QB 4270	2.4	2.2	1.7	2.0	5.8 g
AERO SPOKE	PA 1423	2.0	2.0	2.3 x 1.5	2.0	6.5 g
	PA 1432	2.0	2.0	3.2 x 1.0	2.0	6.5 g
	PA 1528	1.8	1.8	2.8 x 1.0	1.8	5.5 g
	PBA 1425	2.0	2.0	2.5 x 1.05	2.0	5.7 g
	PBA 1422	2.0	2.0	2.2 x 0.95	2.0	4.7 g
	PBA 1420	2.0	2.0	2.0 x 0.95	2.0	4.3 g
	* PSR Aero 1423	2.2	2.0	2.3 x 1.5	2.0	6.5 g
	* PSR Aero 1432	2.2	2.0	3.2 x 1.0	2.0	6.5 g
	* PSR Aero 1528	2.0	1.8	2.8 x 1.0	1.8	5.5 g
	* PSR X-TRA 1425	2.2	2.0	2.5 x 1.05	2.0	5.7 g
	* PSR X-TRA 1424	2.2	2.0	2.4 x 1.05	2.0	5.2 g
	* PSR X-TRA 1422	2.2	2.0	2.2 x 0.95	2.0	4.7 g
	* PSR X-TRA 1420	2.2	2.0	2.0 x 0.95	2.0	4.3 g
New Product **WING SPOKE**	* PSR WING 23	2.2	2.0	2.3 x 1.45	2.0	5.7 g
	* PSR WING 22	2.2	2.0	2.2 x 1.4	2.0	5.2 g
	* PSR WING 21	2.2	2.0	2.1 x 1.3	2.0	4.7 g
	* PSR WING 20	2.2	2.0	2.0 x 1.2	2.0	4.3 g
SUPER LITE SPOKE	PST 14	2.2	2.0	2.0	2.0	4 g
	PST AERO 1430	2.2	2.0	3.0 x 1.1	2.0	4 g
	MEGA LITE SS	2.0	2.0	1.7 x 0.9	2.0	3.5 g
	X-TRA LITE Ti	2.3	2.3	2.0 x 0.9	2.3	2.6 g

3D FORCE SPOKE

Items marked with * are available for 3D FORCE.

Latest Catalog download : **www.pillarspoke.com**

順立車業股份有限公司（臺北）
SHUHN LIH ENTERPRISE CO., LTD.(TAIPEI)
新北市板橋區漢生東路268號25樓
25F, No.268, Hansheng E. Rd., Banciao Dist., New Taipei City, Taiwan
電話(TEL):02-26685480 傳真(FAX):02-26685460

順久自行車配件(深圳)有限公司
SHUN JIU BICYCLE FITTINGS (SHENZHEN) CO., LTD.
廣東省深圳市寶安區松崗街道碧頭社區第三工業區
3rd Ind. Area, Bi Tou Village, Song Gang St, Bao-An District, Shenzhen City, Guangdong Province, China
電話(TEL): 86-755-27130362 傳真(FAX): 86-755-27130366

昆山順得利金屬有限公司
KUNSHAN SUNTORI VEHICLE METAL CO., LTD.
江蘇省昆山市蓬朗鎮昆嘉高科技工業園區郭澤路158號
No.158 Guo Ze Rd., Kunjia High-Tech Industrial Zone, Penglang Town, Kunshan City, Jiangsu Province, China
電話(TEL): 86-512-57618989 傳真(FAX): 86-512-57619666

天津順大金屬制品有限公司
TIANJIN SHUNDA VEHICLE METAL CO., LTD
地址:天津市靜海經濟開發區南區泰安道23號
No. 23, Tai'an Street, the South Zone of Jinghai economic development, Tianjin ,China
電話(TEL): 86-22-59588975-9 傳真(FAX): 86-22-59588973

E-mail: slesales@slespoke.com

FOUNDER LAND GROUP

www.founderland.com.tw
www.eco.com.tw

SYSTEM CERTIFICATION ISO/TS 16949 SGS

UKAS MANAGEMENT SYSTEMS 005

TAIWAN OFFICE
FOUNDER LAND CO., LTD.
No.980, Sec. 2, Dongda Rd., Daya Dist.,
Taichung City, 42879, Taiwan
TEL: +886-4-25686240
FAX: +886-4-25663645
E-mail: sales@founderland.com.tw

FOUNDER LAND PRECISION HARDWARE(D.G) CO., LTD.
1-3F, East 5 Bldg., No.19, Jinfu Road, Liaobu Town,
Dongguan City, Guangdong, China, 523406
TEL: 769-82631351~3
FAX: 769-82631350
E-mail: eco88@vip.163.com

THAILAND FACTORY
FOUNDER LAND (THAILAND) CO., LTD.
206/7 Moo.2 Phraeksa Subdistrict,
Mueang Samutprakran, Samutprakran 10280
TEL: 66-21369516
FAX: 66-21369518
E-mail: fdl@founderland.co.th

APSE
BRAKES SYSTEM

上海艾柏士機械有限公司
Shanghai APSE Machinery Co., Ltd.

上海市青浦區朱家角鎮酒龍路128號
128, Jiu-LZng Rd, Zhu-Jia-Jiao,
Qing-Pu, Shanghai, China.
T 86 - 21-59230257 / 59230258 / 59230259
F 86 - 21-59249238 / 59249201
M shapse@apse.com.tw

艾栢士企業股份有限公司
APSE Enterprise Co., Ltd

彰化縣秀水鄉彰馬街 54 號
54. Chang-Ma St. Hsiu-Shui Hsiang.
Chuang-Hua Country, Taiwan.
T 886-4-7612127
F 886-4-7613428
M apse.artek@msa.hinet.net

www.apse.com.tw

FOMING BICYCLE PARTS CO.,LTD.
NO. 183 SEC. 1, YUAN-LU RD., TUNG-AN TSUN
FU-HSING HSIANG, CHANGHWA HSIEN, TAIWAN, R.O.C.
TEL : +886-4-7775931

TransArt
www.transart.com.tw

HOLOGRAM IRISED DECAL

鈦虹標 NPTF-Hi

HOLOGRAM IRISED DECAL/NPTF-Hi

Transart newest innovation- Hologram Irised Decal.

Playing with colors!

Hologram Irised Decal provides rich and dazzling flashing color.
It creates motional iridescent effects if viewed from different angles.

Option of application: 1. Applied before varnish (HRTF-Hi)
2. Applied after varnish (NPTF-Hi)

鈦虹標/NPTF-Hi

政伸最新產品—鈦虹標

大膽玩顏色!!

鈦虹標提供多彩絢爛的虹彩顏色！從不同角度看會有不同的虹彩移動效果！

貼標方式：1.噴金油前張貼(產品代碼HRTF-Hi)
2.噴金油後張貼(產品代碼NPTF-Hi)

TransArt 政伸企業
Transart Graphics Co., Ltd.
Tel: 886-4-2359 3687
Fax: 886-4-2359 1243
E-mail: service@transart.com.tw

Taipei Cycle booth No.J0130

Come to visit us!
2018 Taipei Int'l Cycle Show Booth# 4F **M0535**

E-Bike

Compatible with
Bosch, Bafun, Brose, Yamaha, SR

E-100 SS-8001-E AL6

SHUN

Specializing in producing and exporting BB parts, cranksets, cranksets and both hot and cold forged cranks for bicycles.

SHUN SHING BICYCLE CO., LTD. Tel: +886-4-23332756~7 Fax: +886-4-23322766
No. 53, Szu Tes South Rd., Wufeng Dist., Taichung City 413, Taiwan E-mail: shun@s-shun.com **www.s-shun.com**

PMT
PREMETEC

EVERYTHING
IS POSSIBLE

Alloy/Carbon Handle Bars
Hydro Forming Tubes
Suspension Fork Tubes
Pivotal Seat Post

AF
AQ
ISO/TS 16949

YEU CHUEH INDUSTRY CO., LTD.
9, Ton 1 Street, Youth Industry Park, Tachia, Taichung 43770, Taiwan
Tel:886-4-26814791 Fax:886-4-26810599
Web Site:www.premetec.com.tw
E-mail:premetec@tcts.seed.net.tw

HYDRO FORMING TECHNOLOGY

www.premetec.com.tw

yhuB WHEELMATE

Yu Hub Industrial Co., Ltd

No. 17-17, Lun Tzy Jaio Rd., Ding Juang,
Shi Hwu Chang Hua, 51448, Taiwan
TEL: +886-4-8811738~9
+886-4-8828716~7
FAX: +886-4-8812386
Email: Info@wheelmate.com.tw

DC-R33

New rear 108 engagements

DD-F01

Double front disc for E-MTB

www.yuhub.com.tw

ANGEL VELO PREVAIL VELO

Staying trendy or classy?

Angel / Prevail gives you all you need

Taking all of the advantages from the Angel line, fundamentally, Prevail saddles provide excellent comfort while pedaling and a more classic full seat.

Prevail's Y-shaped cutout is within the base to offer pressure relief while maintaining the support necessary for competition saddles. Both saddles feature Velo ArcTech system and AirForm foam to provide max comfort.

VISIT US! J0717

TWTC NANGANG EXHIBITION HALL

VELO®

www.velosaddles.com

neco

TAIWAN/SHUNDE/JURONGTIANWANG/TIANJIN

EUROBIKE SHOW BOOTH NO.A5-403

Rove(Neco3-1+Neco4+Rectifier)
Dynamo Hub Power
Generator-UPS System

TAIPEI CYCLE d&i awards 2017 by iF



1. Dust Cover
2. Battery
3. Charger
4. Compression Plug

NECO4
Patent No.China : 5257748
5Vx2.0A=10W
Global Maximum Bicycle
Dynamo Generator

NECO 5
Manual Pedals
Patent No. Taiwan: 105211964
China: 201620848170X

NECO 3
Intelligent Portable Charger
NECO3 Patent No.**Taiwan: M509473**/Germany: 202015104197

www.necoparts.com TEL: +886-4-2332-3966

2018 PROWHEEL E-BIKE DESIGNED FOR BOSCH ➤ Gen 3

E-BIKE CRANK

EB03-R-BNI
EB03-L-BNI

LENGTH: 165,170,172.5,175MM
FINISH: BLACK SAND POWDER COAT
WEIGHT: 490G(PAIR)

EB04-R-BNI
EB04-L-BNI

LENGTH: 165, 170MM
FINISH: BLACK SAND POWDER COAT
WEIGHT: 490G (PAIR)

STEEL CHAINRING

PRO-38T-1

CHAINRING MATERIAL: STEEL
CHAINRING FINISH: BED
BCD: 104MM

CHAINGUARD

AG62

CHAINGUARD MATERIAL: ALLOY
CHAINGUARD FINISH: BLACK SAND ANO.
FOR CHAINRING: 38T
BCD: 104MM

SPIDER

SPIDER: S1-1 (13T)
MOUNTING INTERFACE: 13T
MATERIAL: AL-6061-T6
FINISH: BLACK SAND ANO.
BCD: 104MM

SPINDLE BOLT

CRMO M10

WEIGHT: CRMO: 45G (PAIR)



MODEL	CRANK	SPIDER	CHAINRING	CHAINGUARD	DISK	CL	BCD
EB03-238A-S1-1	EB03	S1-1	PRO-38T-1	AG62	X	47.5	104
EB04-238A-S1-1	EB04	S1-1	PRO-38T-1	AG62	X	47.5	104

2018 PROWHEEL E-BIKE DESIGNED FOR BOSCH ➤ Gen 2

E-BIKE CRANK

EB03-D3-R-ISIS
EB03-L-ISIS

LENGTH: 165, 170, 172.5, 175MM
FINISH: BLACK SAND POWDER COAT
WEIGHT: 490G (PAIR)

EB04-16T-D3
EB04-18T-D3

EB03-16T-D3
EB03-18T-D3

EB04-D3-R-ISIS
EB04-L-ISIS

LENGTH: 165, 170MM
FINISH: BLACK SAND POWDER COAT
WEIGHT: 490G (PAIR)

STEEL CHAINRING

FD07-16T
FD07-18T

CHAINRING MATERIAL: STEEL
CHAINRING: BED

SPINDLE BOLT

CRMO M15

WEIGHT: CRMO: 40.5G (PAIR)

SPIDER

SPIDER: D3
MATERIAL: AL-6061-T6
FINISH: BLACK SAND ANO.



MODEL	CRANK	SPIDER	CHAINRING	CHAINGUARD	DISK	CL	BCD
EB03-16T-D3	EB03	X	16T	X	D3	47.5	X
EB03-18T-D3	EB03	X	18T	X	D3	47.5	X
EB04-16T-D3	EB04	X	16T	X	D3	47.5	X
EB04-18T-D3	EB04	X	18T	X	D3	47.5	X

ROAD DISC

NOVATEC

R3 DISC

FULL CARBON WITH HIGH TG RESIN

- TUBELESS READY
- 38MM RIM TYPE DEPTH
- 27.8MM WIDTH
- 1,630 GRAMS/PAIR

NOVATECWHEELS TAIWAN (Taichung) Co.Ltd.
No.9, Ln. 462, Sec. 4, Changping Rd., Daya Dist., Taichung City 428, Taiwan
TEL : +886-4-2566-8888 FAX : +886-4-2566-1185
E-MAIL : SERVICE@NOVATECWHEELS.COM

NOVATEC
WWW.NOVATECWHEELS.COM

NEO-MAC MACHINERY CO., LTD.

健鋒機械有限公司

www.neo-mac.com.tw

專業製造研磨及拋光設備

Specialize in Grinding and Polishing Equipment

MT-75TN

管口研磨機

Tube Notching Machine

MT-1855-B1

水磨式圓管研磨機

Wet type centerless round tube grinding Machine

PL-300-W5

五站式圓管拋光機

Five Station Round Tube Polishing Machine

MT-556-D2

圓盤式圓管研磨機

Disk Type Round Tube Grinding Machine

MT-604B

四帶圓管研磨機

Four Belt Centerless Round Tube Grinding Machine

TS-208

水磨式平面砂帶研磨機

Wet Type Surface Belt Grinder

台灣 台中市豐原區42083南陽路59巷6-2號 電話：886-4-2512-3000
電子信箱：info@neo-mac.com.tw 傳真：886-4-2522-8375
網址：www.neo-mac.com.tw

大陸 大陸手機：136 2500 3790 昆山聯絡處：139 6267 1689

雷射切割機 | 乾淨 | 快速 | 安靜 | 低成本 | 一次完成

Laser Cutting Machine

Clean | Efficient | Quiet | Low Cost | All in One



旭東 SHUZ TUNG

STBM 旭東機械工業股份有限公司
Shuz Tung Machinery Industrial Co., Ltd.
www.shuztung.com | stmc@shuztung.com.tw

CE

自行車鋁合金輪圈生產線
Aluminum Alloy Bicycle Rim Production Line

Main Products:

- Motorcycle/Bicycle Spoke and Nipple Turnkey Production Lines and Related Automated Machinery
- Turnkey Production Lines and Related Automated Machinery for Steel & Aluminum Motorcycle/Bicycle Rims
- High-speed Hydraulic Punch and Stamping Presses

主要產品：

- 機車/自行車幅條、螺帽整廠生產線及相關自動化機械設備
- 機車/自行車鋼、鋁輪圈整廠生產線及相關自動化機械設備
- 高速油壓沖/壓床機械設備

WJ-R101 成型機
Rounding Machine

WJ-C101 切斷機
Cutting Machine

WJ-P101 插梢機
Pin Pressing Machine

WJ-AP101 自動沖孔機
Automatic Rim Hole Punching Machine for Steel/Aluminum Bicycle Rims

WJ-E101 鋁輪圈車邊機
Aluminum Rim Edge-cutting Machine

WJ-E104 NC鋁輪圈車邊機
NC Aluminum Rim Edge-cutting Machine

WJ-HD102 雙層鋁輪圈鑽孔機
Double-walled Alloy Rim Spoke Hole Drilling Machine

WJ-SDH110
輪圈伺服多軸向內外鑽孔機
Servo-controlled multi-angle internal/external drilling machine for bicycle rims

自行車、機車幅條及幅條螺帽生產設備
Bicycle/Motorcycle Spoke and Nipple Making Equipment

WJ-1010 打頭機
Nipple Heading Machine

WJ-N101 幅條螺帽製造機
Nipple Making Machine

WJ-B101 直線切斷機
Wire Straightening & Cutting Machine

WJ-S102 幅條製造機
Spoke Making Machine

® 穩嘉機械股份有限公司
WIAN JIA MACHINERY CO., LTD.
彰化縣員林市員集路2段384巷520號

No.520, Sec.2, Lane 384, Yuan-Ji Rd., Yuan Lin City, Changhua Hsien, Taiwan
Tel: 886-4-836-9705 (Rep.) Fax: 886-4-836-9915
E-mail: wianjia@ms24.hinet.net http://www.wianjia.com

TAIPEI CYCLE
March 27-30, 2019
Taipei Nangang Exhibition Center, Hall 1, 4F & Hall 2
ufi Approved Event
A New Worldview On Cycling
Visit us on website:
Taipeicycle.com.tw
Organizer:
TAITRA
Co-Organizer:
TAIPEI CYCLE

SECTION .6

ACCORD

ENGINEERING DESIGN INNOVATION

www.accord.com.tw

ACC-BF03

- 20 inch minivelo frame
- Designed for belt drive
- Easy installation and maintenance
- 4130 Cr-Mo double butted tubing
- Eccentric BB

ACC-EF801

- Hardtail 27.5 Plus Mountain frame for E8000 system
- Light weight motor shell
- 4130 Cr-Mo double butted tubing
- 148 x 12mm thru-axle
- 1-1/8" to 1-1/2" tapered headtube

10F-1, 380, Fu Hsing S. Rd., Sec. 1 ,Taipei city, Taiwan
Tel: 02-27069019 & 27030549 Fax: 02-2755-7180 & 2755-1794
E-mail: info@accord.com.tw Website://www.accord.com.tw

WELCOME TO CYCLEDESIGN...

And enter a world of performance and value cycling parts and accessories like you've never known. Decades of experience working with the finest brands have refined our products to be the best on the market in all channels from OEM, Aftermarket, and Service.

Please contact mail@atiltd.com.tw

cycledesign

YOUR CYCLE. YOUR DESIGN.

bikemore Bag

BG-BM013
Handlebar bag
Material: 600D TPU
size: 53 x dia.14 cm, 9L

BG-BM012
Frame bag
Material: 600D TPU
size: 45x7x11cm, 4L

BG-BM011
Saddle bag
Material: 600D TPU
size: 60x15x16cm, 16L

ideation industrial co., ltd.
Bicycles • Parts • Accessories
since 1977

Headquarters mail@ideation.com.tw
Website www.ideation.com.tw

NEW BICYCLE GENERATION

Headset Cap for beer cap / XHS-16
Full CNC Headset Cap for beer cap
Material: Alloy 6061 headset cap with 7075 forged alloy screw
Spec: OD: Ø31.8 mm cap+ M6*30 mm screw
Feature: 2 pcs magnet for rider easy to change the different cap

City Cargo Bike / BD-C-04
Frame: Alloy 6061
Gears: Internal 3 speed w/Coaster brake
Wheel Size: F/18",R/24"
Size of carrier:55*40*35CM

Mini Cargo Bike / BD-K-01
Frame:Hi-Ten
Gears: Single Speed w/Coaster brake
Wheel Size: F/12",R/16"
Corlo of box:Brown/Black/Natural wood color
Loading Weight:30kgs

Mini BMX / BD-B-01
Frame:Hi-Ten,
Crank: 3pcs type, Cr-Mo crank
Gears: 9T,Single speed
Wheel Size: 10"

DURMAS
DURMAS ENTERPRISE CO., LTD.
9F-2, NO. 169, SEC.4, CHUNG-HSIAO E. RD., TAIPEI, TAIWAN (106) TEL : 886-2-27312535 FAX : 886-2-27312515
E-MAIL : info@durmas.com WEB-SITE 1 : www.durmas.com www.taiwantrade.com.tw/durmas

K-STAR
Bikes & Components

K STAR CO.,LTD.
No.37,Gungming 2nd Road, An-nan
District Tainan City 70968, Taiwan
Tel: +886-6-2450093 Fax:+886-6-2450094
www.k-star.com info@k-star.com

Shanghai Branch
Unit 803, 8th Floor, No. 1160 Yanan Rd, West,
Metro Bank Plaza, Changning District,
2005 Shanghai

JEDAN INTERNATIONAL CO., LTD.
GREAT RISING INTERNATIONAL(BELIZE)CO.,LTD.
No. 11, Fu-an Road, Shi Tun District, Taichung, Taiwan
E-mail: jdwell@jdwell.com Tel: +886-4-24623966 Fax: +886-4-24629966

JD-1802
BALANCE BIKE



JW-1606
STUNT SCOOTER

JW-1605
12" KID BIKE

JD-1604
20" BMX RACING
Alloy Frame

BUDGET

JD1801
BMX 20" FOUL PLAY

JD-1704
20" BMX

JD-1603
20" BMX FLATLAND
Frame and Fork:
Can be Made by Either
Steel or Cr-Moly

JD-1703
26" BMX

JD-1701
CARGO BIKE

BIKES (SKD/CKD), FRAMES, PARTS AND ACCESSORIES
FROM TAIWAN & CHINA,
YOUR BEST PROFESSIONAL PARTNER
WITH STRONG QC TEAM & SERVICE

Kenstar INDUSTRY CO., LTD.
13F - 8, No.99, Sec. 1, Xintai 5th Rd., Xizhi Dist.,
New Taipei City 22175, Taiwan
TEL : 02-2697-5210 , FAX : 02-2697-5209
kenstar.bikes@msa.hinet.net
www.kenstar.com.tw
bicycle
KenStar
only BIKES since 1975


THINK OF BICYCLE,
THINK OF PRESTIGE CYCLE !!
Prestige Cycle Corp
Tel: 886-2-27931968
Fax: 886-2-27951165
E-mail: pccbikes@ms15.hinet.net
sales@pccbikes.com

www.prosupergo.com.tw

GEOTECH

GHP-054 GHP-053 GHP-052 GHP-049 GHP-055 GHP-056 GHP-057 GHP-058 GKS-035

GLI-046 USB GLI-047 USB GLI-048 USB GLI-050 USB GHT-126

GHT-146 GSU-046A GBE-045 GBE-044

GRC-012

GHE-032 GHE-037 GHE-005 GHE-034 GHE-023

GSA-051 GSA-053 GGR-082 GBC-054 GPE-055 GBA-037



GKS-026 GKS-029 GKS-030 GBM-018 GBM-019 GBA-038

ProSuperGo

www.geotechbikes.com

3F NO.21 YUNG-FU STREET, SAN CHUNG DISTRICT.
24156, NEW TAIPEI CITY, TAIWAN
FAX NO : 886-2-22868595
PHONE : 886-2-22861939, 22874013, 22801645
psupergo@ms5.hinet.net

Innovation & Development.
Ramiko brings you into the future.



Ramiko Co., Ltd.
The Product Management Company

6F-1, No.148 Song-Chiang Road, Taipei, Taiwan
Tel: 886-2-25414423
Fax: 886-2-25413548 , 25432814
E-mail:amywu@ramiko.com.tw

With SAN YAKOS ,

You can be assured of our quickly deliveries and best services.

We can group all your purchase from Taiwan or China.

SAN YAKOS ENTERPRISE CO., LTD.

No.2-1, Lane 158, Ta-Hu St., Nei-Hu, Taipei, Taiwan.

Tel: +886-2-87925096 Fax: +886-2-87925563

E-mail: web@sanyakos.com.tw

http://www.sanyakos.com.tw

MAINLAND CHINA OFFICE:

China Shanghai Office:

Chung-Tung Building, Room 905, No. 1, Huang Xing Road, Shanghai, China

Tel:+86-21-65730600 Fax:+86-21-65730600

China Taicang Office:

Paixin Road, Sintang, Liuhe Town, Taicang City, Jiangsu, China

Tel:+86-512-53623798 Fax:+86-512-53623797

SINCE 1970

YOUR MOST RELIABLE SUPPLIER AND BEST BUSINESS PARTNER

http://www.swechen.com.tw
http://www.tbg.com.tw/

SPECIALIST IN
BICYCLES , BICYCLE PARTS AND ACCESSORIES

SWECHEN CYCLE INDUSTRIAL CO., LTD.
TAIWAN BICYCLE GROUP INC.

HEAD OFFICE: 1ST FL., NO. 2, LANE 207, SEC. 7, CHUNG SHAN N. ROAD, TAIPEI, TAIWAN

TEL:886-2-2875-1000(10 LINES)
2875-1010(5 LINES)

FAX:886-2-28751009
28751015
28751016
28738229

E-mail: tbg@ms3.hinet.net
swechen@ms25.hinet.net

http://www.swechen.com.tw
http://www.tbg.com.tw/

WWW.E-CHINACYCLE.COM / WWW.CHINA-BICYCLE.COM

CHINA CYCLE 2019

中国国际自行车展览会
中国国际电动车及零配件展览会
中国国际摩托车及零部件展览会
上海国际户外骑行装备展览会

MAY 6~9, 2019

2019年
5月6~9日

VENUE: NATIONAL EXHIBITION AND CONVENTION CENTER (SHANGHAI)

展览地点：国家会展中心(上海)

规模：170000平方米/7500个展位 | SCALE: 170000M²/7500BOOTHS

组委会办公室/Contact： 电话/Tel：86 21 32513000 传真/Fax：86 21 32513220 邮编/P.C：200333
地址：上海市金沙江路1678号2101室（绿洲中环中心） Add：Room 2101, No.1678 Jinshajiang Road, Shanghai, China

官方微信 骑骑

The Most Comprehensive Bicycle Multimedia Publisher

Visit us on website:

www.abm.world

EUROBIKE

The
Global
Platform

TOMORROW STARTS HERE & NOW!

Come discover the
future of bicycling
and micro-mobility

September 4 - 7, 2019

Friedrichshafen, Germany

eurobike-show.de
#EUROBIKESHOW